PART. I

1950-51 **File No.** 2499/48(

C CLASS

P.W. **DEPARTMENT**
E.B. **BRANCH** II

Subject:— Retrenchment

S. E. Karnatak 9. Circle,

P97E

C - Cr J - 1.1.1

Part. I

File No. 2499/48(7) --- EB II

Std. Scott. Slip 24-B

Sectt. 78A e

R., G., D., No. 2408, dated 22-6-23.]

DOCKET SHEET (B) PART I

Subject :—

File No. 2499/48(1)

P. W. DEPT

E B II BRANCH.

References :—

Date.	To whom sent.	Notes and instructions.

.31 | 2499 / 48<7>/ 65730

[Below copy of the SE., Karnatak Irrgn. Circle's endt. No. 9.55, dt. the 9th Aug. 1950, and its accompts.]

EB&C(II) P.W.D.

Submitted for perusal.

SMD
11.8.50.

Dy. Secy. Pl comment on para 3 of the SE's Letter

12/8

2499/48(7)
65730

EB(II) P.W.Dept

Resubmitted with refce. to the Dy. Secy's note dt. the 12.8.50. 1.31

2. The River Gauging Sub-Dn., Belgaum which has been transferred to the Irrgn. Projects Dn. (South) has to look after 70 Gauges. These gauges are spread over several Districts as shown on p. 17 ante. It is imperative that the work of collection of Rain Gauge data should continue. The three posts of Overseers and other outdoor staff which looks after these Gauges has therefore to be continued.

3. The SE's proposals may be accepted and he may be asked to report the no. of posts likely to be retrenched and the consequent savings likely to be realised during

the current year and as also during the full year.

4. The S.E. had stated that the proposal to amalgamate Haliyal Sub. Dn. with the Dharwar Irrgn. Sub. Dn. is rather premature at this stage as it would hinder the progress of Grow More Food Schemo. The S.E. has been asked as per G.O. No. 2499/48(4)-I.E.(II), dt. 11th 8th Aug. 1950, to report before the end of the month the progress made as on 15th Aug. 1950 in the matter of receiving popular contribution. His reply is awaited. In the meantime the draft put up for approval may issue.

SMD
16/8/50.

Dy. Sec.

37
5

2499/48(7)/65730

E.B.(II). P. W. Deptt.

Resubmitted as verbally directed by the Dy. Secretary.

2. Against a post of Dy. Engr. and 2 Overseers prescribed for this Circle office the existing strength in the Circle Office is 2 Dy. Engrs. and 3 Overseers.

'Supporting the retention of an addl. post each of a Dy. Engr. and an Overseer the S.E. states that the Karnatak Irrign. Circle has to deal with questions regarding large construction work of Ghatprabha Left Bank Canal as also Project work of Major Irrgn. Schemes in the Karnatak. For conducting correspondence of highly technical nature including scrutiny of projects of 'Grow More Food' Schemes of top priority entertainment of an addl. Dy. Engr. and an addl. Overseer is necy. In this connection it may be stated that the other Circle Charges have 5 to 6 Dns. under their control, while this Circle has only 3 Dns. thereunder. Thus the normal work in this Circle office is comparatively less. Conceding that certain technical work is more because of the 'Grow-More-Food' campaign has been given top priority, it seems that in view of present financial stringency it would not be out of place if this work is handled by a Dy. Engr. and 2 Overseers only.

The S.E., if approved, may therefore be asked to retrench a post each of a Dy. Engr. and an Overseer.

Against only one post of S.A.C. prescribed for the other Circle offices the existing strength in the Circle Office is 2 S.A.C.s. But this is counterbalanced by one less post of Sr. Clerk. Instead of 3, the existing strength of Sr. Clerks is only 2. The S.E. states that to deal with the work carefully and promptly it is absolutely necessary to have the present clerical set up in the Circle Office. In view of this and in view of the negligible extra cost involved, the S.E's. request to maintain the present set up may be granted.

Against a prescribed strength of 6 posts of peons, ~~prescribed~~, the existing strength is 7. The S.E. has proposed to retain this strength as he states that there are 21 persons (including the S.E.) in the office. As a post of Dy. Engr. and a post of an Overseer have been proposed to be retrenched, the.....

the S.E. may be asked to retrench a post of a peon also.

3. Irrign. Project Dn.(South). No. post of a Dy. Engr. has been prescribed for an ordinary Dn. This Dn. has only 4 Sub-Dns. thereunder and the question of the closure of one of the Sub-Dns., viz., River Ghataprabha Sub-Dn. is under consideration of Govt. The S.E. states that the Dy. Engr. is attached to the Divisional office, as technical asstt. to help the Ex. Engr. in dealing with highly technical matters concerning investigation and designing of Major Irrgn. works, Dams, Canals etc., In the absence of any detailed justification or the statistical data regarding the volume of technical work the S.E. if approved may be asked to retrench a post of the Dy. Engr.

Against two posts of Sr. Clerks prescribed for the Correspondence Branch of the Divisional Office, the existing strength is three. In the absence of any convincing justification for the retention of this post, the S.E. may be asked to retrench the addl. post of Sr. Clerk.

The strength of Jr. Clerks in the Correspondence Branch is as per prescribed unit. But this includes two typists in the grade of Rs.70-3-85-E.B.-4-105-E.B.4-125. The E.E. states that good typists are not available if they are offered the Jr. Clerks' grade i.e., Rs.46-3-85-E.B.-4-105. In the circumstances, the present scale of pay for the typists may be retained.

Against only one post of a Computor prescribed, the existing strength of computors is 2. The S.E. has merely stated that this being a Project Dn., an addl. Computor is absolutely essential. In the absence of any statistical data justifying the retention of this addl. post, the S.E.may be asked to retrench this post.

Proposals to retrench a post of Jr. Clerk from the Accounts Branch, 2 posts of Jr. Clerks from the Correspondence Branch and a post of Draftsman may be agreed to.

4. Ghataprabha Left Bank Canal Division :- Against a post P.A. to the Ex. Engr. prescribed in case of a heavy Dn. the existing strength of Dy. Engrs. in this Dn. is 2. One Dy. Engr.,

the.....

the S.E. states, is in charge of the Designs Branch which consists of 4 Overseers, 1 Trecer, 1 Computor and 2 Khalasis. Work of highly technical ~~nx~~ nature viz., designining and estimating of acqueducts, masonry culverts, canal distributaries etc., is being carried out. The second Dy. Engr. acts as a P.A. to the Ex. Engr. As this is a heavy construction Division, the S.E. further states the assistance of a Dy. Engr. is absolutely essential in respect of Office and techni. work in order to enable the Ex. Engr. to pay more and frequent attention to construction work and solve difficulties and issue suitable instructions on site of work.

In the absence of any statistical data bearing the above contentions and in view of the existing financial stringency the S.E. may, if approved, be asked to retrench one of the posts of Dy. Engrs.

Against a post of 1 Sr. Accts. Clerk, 2 posts ~~nx~~ of Sr. clerks and 4 posts of Jr. Clerks prescribed for the Accounts Branch of the Dnl. Office, the existing ~~draft~~ staff consists of 2 Sr. Accts. clerks, 3 Sr. Clerks and 5 Jr. Clerks. The S.E. states that to cope up with the heavy accounts work it is essential to entertain an addl. S.A.C., 1 Sr. Clerk and an addl. Jr.clerk. In the absence of any statistical data justifying so much staff in excess of the prescribed unit the S.E. may be ,if approved, asked to retrench all staff in excess of the prescribed ~~strength~~. unit.

(Necessary to proceed)

No post of an Asstt.-Store Keeper has been prescribed for a divisional Office. The S.E. has mearly stated that as this a heavy construction Division an Asstt.-Storekeeper is absolutely necessary. In the absence of any convincing reasons for the retention of this post, the S.E. may, if approved, be asked to retrench the same.

(- DW)

The existing strenght of S.r Clerks in the correspondence Branch is 4 . But this includes 2 Sr. grade typists in the pay scale of Rs. 92-8-140. While converting these posts in the grade of Rs.70-3-85-E.B.-4-105-E.B.-4-125 it has been stipulated that the present incumbents in the grade

of Rs.92-8-140 should be continued till they retire and then the post should be converted into the junior grade. In the circumstances the anamoly may be condoned.

The 5 posts of Jr. Clerks prescribed for the Correspondence Branch are inclusive of two typists. As in this case the typists have been included amongst the Sr.Clerks there should have been only 3 posts of Jr. Clerks. The S.E. has therefore proposed to retrench a post of Jr. Clerk out of the existing strength of 4 Jr.Clerks. The S.E's.proposal may be accepted.

Against 3 posts of Overseers prescribed for a Divisional Office, the existing strenght is 7. The S.E. has proposed to retrench only 1 Overseer, as 4 Overseers are attached to the Designs Branch in the Divisional Office and the remaining two Overseers are intended for carrying out correspondence regarding technical matters, Progress Reports, Machinery and Special articles of Tools and Plant.

Mainly due to the present financial stringency and in the absence of convincing justification in support of each post, the S.E. may, if approved, be asked to retrench 1 more post of Overseer from 6 Overseers that he now proposes to retain.

In the absence of any convincing reasons the S.E. may be asked to retrench a post each of Computor and a peon which are in excess of the prescribed unit.

5. Dharwar Irrgn. Division. A post of Dy. Engr. has been prescribed only for a heavy Sub-Dn. This Division at present has 7 Sub-Dns. under its jurisdiction. Even if the proposed amalgamation of the Dharwar Irrign. Sub. Dn. and the Halyal Irrign. Sub-Dn. is give effect to there will be 6 Sub-Dns. under the control of the Dn. In the circumstances the post of P.A. to the Ex. Engr. may be retained.

Against only one post of S.A.C. prescribed the existing strength is 2. As this Dn. is particularly heavy Dn. which has to deal with the important irrigation matters relating to First Class Irrgn. Works as well as Minor Irrgn. Tanks and Village Water Supply Works, the S.E's. request to retain an additional post of S.A.C. may be agreed to.

Against.....

Against only 2 posts of Sr. Clerks prescribed for the Accountants Branch the existing strength is 4. The S.E. states that the Division Comprises of 7 Sub-Dns. as against a normal unit of 5 Sub-Dns. In this connection as already stated above one of the Sub.Dns is likely to be retrenched. Thus there will be 6 Sub-Dns. Conceeding that the volume of Accounts work is more than the normal Divisions, in view of an addl. post of S.A.C., there does not seem to be any need to have 2 Sr.Clerks. in excess of the prescribed unit. Moreover the S.E. has not justified his request by statistical data. In view of this and also in view of the present financial stringency, the S.E.may if approved, be asked to retrench both addl. posts of Sr.Clerks.

Proposal to retrench one post of Jr. Clerk out of 6 posts of Jr. Clerks in the Accounts Branch may be approved. Thus there will be 5 Jr. Clerks as against 4 prescribed. But the addl. post may be retained as this is a heavy division.

Against 2 posts of Sr. Clerks prescribed for the Correspondence Branch the existingstrength is 4. But this includes two posts of typists in the scale of Rs. 92-8-140. This scale has now been converted into Rs.70-3-85-E.B.-4-105.E.B.-4-125. However as it has been stipulated that the present incumbents of the Sr.grade should be permitted to continue in the same grade till the date of their retirement, the excess in this particular grade may be condoned.

5 posts of Jr. Clerks prescribed for the Correspondence Branch is inclusive of 2 posts of Jr. grade typists. As the typists are in the Sr. grade, there should have been only 3 other posts of Jr. Clerks. Against this the existing strength is of 6 posts of Jr. Clerks. The S.E. has proposed to retrench only 2 posts of Jr. clerks as an addl. post is necy. to deal with the voluminous correspondence. The S.E's proposal may approved.

Against 3 posts of Overseers prescribed, the existing strength of Overseer is 4. As this Division Compared with other Divisions is very heavy, the S.E's proposal to retain an addl. post may be agreed to.

Proposal to retrench a post of Tracer may be approved.

Against.....

Against 5 posts of peons prescribed for the Dnl. Office the existing strength of peons is 6. In the absence of any justification for this addl. post of peon, the S.E. may be asked to retrench the same.

6. Ghatprabha Right Bank Canal. Sub-Dn.:- Against a prescribed unit of 3 Overseers the existing strength of Overseer is 5. The S.E. states that as this Sub-Dn. has to carry out investigation and field surveys of alternative dam sites for Ghatprabha Valley Project, the normal unit of 3 Overseers is not adequate and so the present strength of 5 Overseers and 3 Sub-Overseers is absolutely essential for this Sub.-Dn.

In view of this the S.E., may if approved, be permitted to retain one post of Overseer in excess of the prescribed unit, and may be asked to retrench another post of Overseer.

Proposal to retrench a post of Sub-Overseer out of the existing strength of 4 Sub-Overseers may be approved.

As this is a heavy Sub-Dn. the S.E's proposal to retain a post of Computor, in addition to that of a Tracer, for computing and checking arithmetical calculations etc., may be approved.

Proposal to retrench a post of peon out of the existing strength of 4 peons may be approved.

7. Reconnaissance Irrigation Projects Sub-Division:- Proposal to retrench one of the existing posts of 4 overseers may be approved.

As the remarks offered regarding the work to be done in the Ghatprabha Right Bank Canal Sub-Dn. holds good in this case also, the S.E's. proposal to retain 4 posts of Sub. Overseers may be approved.

Proposal to retrench a post of Computor and 2 posts of peons may be approved.

8. Soil Research Sub. Dn.:- It is not understood why the S.E. has not reported the no. of Overseers' posts. The matter may be inquired into. For Soil Classification Work, of the Ghataprabha Valley, the S.E. states that the services of 3 Agricultural Graduates are required in addition to one Sub-Overseer who is sanctioned for carrying out field surveys. In the circumstances the S.E's. proposal to retain 3 Graduate Assistants

may.....

may be approved.

Proposal to retrench one Surveyor out of the existing strength of 4 Surveyors may be approved.

Proposal to retrench a post of Tracer out of the existing strength of two Tracers may be approved.

As no posts of Computors have been prescribed for sub-division, in the absence of any justification the S.E. may be asked to retrench two existing posts of Computors.

As only 2 posts of Jr. Clerks have been prescribed for a sub-division, the proposal to retrench a post of Jr. Clerk out of the existing strength of 3 Jr. Clerks may be approved.

Against a prescribed strength of 3 peons the existing strength as 5. The S.E. has proposed to retrench only one post of peon as an addl. peon is required to attend to the work of Soil Research Laboratory. The S.E's. proposal may be approved.

In the absence of any prescribed strength for the Laboratory no comments are offered except that in addition to 3 Graduate Asstts., one Laboratory Assistant, 4 Auger Measurers, 4 Auger Mucadams and 2 Fieldment for Soil Research Laboratory attached to this Sub-Dn. may be retained as they are.

9. River Ganging Sub.Dn:- The question of the closure of this Sub-Dn. is under consideration of Govt. The S.E. has been asked vide G.L. No.2499/48(7)-E.(II), dt. the 17th Aug. 1950, to submit his proposals regarding the closure of the River Ganging Sub-Dn. He has also been asked to make necy. arrangements regarding the distribution of several Ganging charges in consultation with the S.E., S.C. However pending the final issue of Govt. orders regarding the closure of this Sub-Dn. the following comments regarding the existing estabt. ~~are offered~~.

The S.E. has proposed to retrench the entire existing staff except all the 3 overseers, which he states, may be transferred to the Belgaum, Dharwar Irrigation and Bijapur Divisions, as substantial number of River Ganging stations in the Belgaum, Dharwar and Bijapur Districts ~~xxx~~ requires constant.....

.....

constant supervision by technical Subordinates. Moreover the data to be collected from these Rain and River Gauge stations is very valuable and important and as such the work can not be completely closed down.

In the circumstances the S.E's. proposal to retain 3 Overseers only out of the existing staff and retrench the Sub-Dn. from 1st. Novr. 1950 may be approved.

In the absence of any special column showing the post of a Dy. Engr. no gazetted post has been proposed to be retrenched. The S.D.O's. post will be retrenched when the Sub-Dn. is closed. Thus the net retrenchment in the Sub-Dn. will be: 1 Dy. Engr., 1 Tracer, 1 Computor, 1 Sr. Clerk, 2 Jr. Clerks, 3 peons and 2 Khalasis.

10. A Sub-Dn: Ghatprabha Left Bank Canal Division:- Against 3 posts of Overseers prescribed for the Sub-Dn. the existing strength of Overseers in this Sub. Dn. is 4. The S.E. states that this addl. post of Sectional Overseer was sanctioned for looking after the management and maintenance of the Gokak Canal and is transferred to this Sub-Dn. with the transfer of the Gokak Canal from Belgaum Division in the Southern Circle. In the circumstances, if approved, the S.E. may be permitted to retain a post of Overseer in excess of the prescribed strength.

In the absence of any justification for the post of S.A.C. (Rs.100-8-140) instead of Sr.Clerk's post, the S.E. may if appd. be asked to convert the existing S.A.C's. post into Sr. Clerk's post.

In the absence of any prescribed unit for the outdoor estabt. the S.E's. request to retain 2 posts of Sub-Overseers, in addition to the 4 posts of Overseers, which are required to supervise the work carried out by the piece-workers may be acceded to.

Though no post of a Computor has been prescribed for a Sub-Dn., the S.E. requests to retain a post of a Computor as this Sub-Dn. is a very heavy charge and has only 3 posts of Jr. Clerks (including a post of Mustering clerk imployed on the management and maintenance of the Gokak Canal). Thus it seems that the S.E. proposes to utilize the services of a Computor as

.....

Clerk.....

clerk. The S.E's request may not be granted, and he may be asked to approach Govt. separately with his proposals regarding the augmentation of the staff fully justifying the necessity by furnishing statistical data.

Proposal to retrench a post of Tracer and a post of a peon may be approved.

11. 'B' and 'C' Sub-Dns:- In addition there are 2 Canal Inspectors, 10 Patkaris, 1 Weir Khalasi, 2 Measurers and 1 Gauge Karkun are employed on the management and maintenance of the Gokak Canal. The Strength may be retained as it is. The S.E. states that as these Sub-Dns. are also construction Sub-Dns. it is necy. to retain 2 Sub-Overseers in each Sub-Dn. In the absence of any prescribed strength for the outdoor estabt. and in view of the S.E's remarks request for the retention of these posts, may be granted.

Proposal to retrench a post of a Tracer may be agreed to.

For similar reasons stated in favour of the retention of a Computor's post in 'A' Sub-Dn. the S.E. proposes to retain a Computor in each Sub-Dn. In the absence of any convincing justification for the retaintion of this post, the S.E. may, if approved, be asked to retrench the same from each Sub.Dn.

Proposal to retrench an additional post of peon from each Sub-Dn. may be accepted.

12. 'D' Sub. Dn.:- Against 3 posts of Overseers prescribed the existing strength of Overseers in this Sub- Dn. is 5. The S.E. states that the remarks offered for the retention of 5 Overseers in the Ghatprabha Right Bank Canal Sub-Dn. (vide para 6.) holds equally good in case of this Sub-Dn.

In the absence of any statistical data justifying the excess and in view of the present financial strangency the S.E. may, if approved, be asked to retrench 2 posts of Overseers.

Proposal to retrench a post of Sub-Overseer out of the three Sub-Overseers may be approved.

existing strength of ~~[illegible]~~ As regards the retention of 2 Sub-Overseers the S.E. states that the remarks offered in favour of the retention of 2 Sub-Overseers in the 'A' Sub-

.....Dn.....

holds equally good in case of this Sub-Dn.

Dn. also. The S.E.'s. request may be granted.

Proposal to retrench a post of Tracer and an addl. post of peon may be approved.

For reasons stated in favour of the retention of a Computor's post in the 'A' Sub-Dn., the S.E. proposes to retain a Computor in this Sub. Dn. also. As the S.E.'s similar request has been proposed to be negatived in case of 'A', 'B' and 'C' Sub-Dns. his request in this case may also be negatived.

13. Mechanical Sub-Dn.:- A post of Tracer has been prescribed for a Project Sub-Dn. only. The S.E. states that the services of a Tracer are required for tracing mechanical drawings of spare parts of machinery etc., The argument does not appear to be convincing. In the absence of detailed justification and the volume of work to be done by the Tracer, the S.E. may be asked to retrench the post.

Instead of a post of a Sr. Clerk (Rs.92-8-140) prescribed for a Sub. Dn., the existing post is of a S.A.C. (Rs.100-8-140-10-150) The S.E. has not offered any remarks regarding the necessity of this post. He may therefore be asked to convert the same into that of Sr. Clerk's post.

Though no post of a Storekeeper has been prescribed for a Sub-Dn., the S.E. states that for keeping proper accounts of heavy machinery, articles of Special Tools and Plants such as trucks, jeeps, tractors etc., which are maintained and repaired in this Sub-Dn., the services of one Storekeeper are absolutely necessary. The S.E. further states that this Sub. Dn. has heavy transactions of accounts in respect of stores and machinery. In the circumstances, the S.E's request to retain the post of Storekeeper may be granted.

14. Distributory Surveys and Designs Sub-Division:- Against a prescribed unit of 3 posts of Overseers the existing strength is 5. The S.E. has stated that this Sub-Dn. has to carry out field surveys and contouring work of the whole of the Ghatprabha valley and prepare designs for distributaries of the canal. In the Circumstances the S.E. states that 5 Overseers are necy. In the absence of any sufficient justification for the excess of 2 Overseers, the S.E. may, if approved be asked to retrench one of the Overseers.

For the reasons stated above the S.E. proposes to retain 3 Sub-Overseers and a Tracer. The S.E's. proposal may be accepted.

.....

Proposal.....

Proposal to retrench a post of a Computor and a post of an addl. peon may be accepted.

15. Dharwar Irrigation Project Sub-Dn.:- The S.E. states that as this is a Project Sub-Dn., 10 Surveyors are sanctioned for carrying out surveys of Minor Irrigation works in the Dharwar and Kanara Districts and preparing plans and estimates therefor. In the absence of any prescribed unit for outdoor estabt., the present strength of Surveyors may be retained.

No post of a Compurtor has been prescribed either for a Project Sub-Dn. or for an ordinary Sub-Dn. The S.E. states that the services of a Computor are required for the purpose of computing and arithmatically checking a number of estimates for Minor Irrigation tank works. As already 10 Surveyors are working and in the absence of mention of the volume of work to be done by Computor, the S.E. may be asked to retrench the same.

Proposal to retrench an additional post each of a Jr. Clerk, a peon and a Khalasi may be approved.

The S.E. states that the remaining 2 posts of Khalasis are required for Sectional Overseers who carry out outdoor duties. The S.E's. request to retain these posts may be granted.

16. Dharwar Irrigation Sub.Dn. and Haliyal Sub-Dn. The question of amalgamating Dharwar Irrigation Sub-Dn. with the Haliyal Sub-Dn. is under consideration of Govt. separately. In the meantime the following comments are offered regarding the strength in both Sub-Divisions.

Dharwar Irrigation Sub-Dn:- Proposal to retrench a post of Tracer, 2 posts of Karkuns and a post each of a Maistry and a Peon may be approved.

The S.E. states that 3 Khalasis in addition to peons are essential for the sectional Overseers who carryout outdoor duties. The S.E. may therefor be permitted to retain 3 Khalasis.

Haliyal Irrign. Sub-Dn:- Only three posts of Overseers have been shown as sanctioned strength of the Sub-Dn. while no posts of Clerks, peons etc., have been shown. It seems that this being a duplicate copy owing to some typographical error, the figures have not been typed.

From the information available in the office of the

.....

following.....

following is the existing strength of the Sub-Division.

1 Sr. Clerk. 2 Jr. Clerks.

3 Karkuns. 1 Maistry.

6 Peons and Khalasis.

As the F.D. has got the original copy of this statement, that Deptt. may be requested to inform this Deptt. whether the staff shown above tallies with the information now in possession of that Deptt. In the absence of any information regarding the retrenchment carried out on the 1st August 1950, to implement a 5 p.c. cut in the estabt. No comments regarding the strength are offered except that the strength is as per prescribed unit. In case the F.D. is unable to advise this Deptt. the S.E. will be consulted.

17. Hangal Irrigation Sub-Dn:- The strength of Overseers, Clerks and peons is as per prescribed unit. In the absence of any prescribed units for the strength of Karkuns and Maistries no comments are offered except that the existing strength of 8, Karkuns and 2 Maistries may be retained.

The S.E. states that services of 3 Khalasis are essential as they are sanctioned for Sectional Overseers. In the Circumstances the S.E's. request to retain the same may be granted.

Against a post of Chaukidars. The S.E. has not offered any remarks why these Chaukidars in excess of one prescribed are required. He may, be asked to justify the excess.

18. Havasbhavi Irrigation Sub- Division :- Against three posts of Overseers prescribed for the Sub- Dnl. office, the existing strength is only 2. The S.E. has not offered any remarks. Presumably he is satisfied with the existing strengthh.

The clerical strength and other strength of peons are as per prescribed unit.

In the absence of any prescribed unit for the posts of Karkuns and Maistries, the existing strength of 9 Karkuns and 2 Maistries may be retained as it is.

The S.E's request to retain 2 Khalasis for Sectional Overseers may be granted.

Against only a post of Chawkidar prescribed, the existing strength of Overseers is 2. The S.E., may be asked to justify

.....

the.....

the excess in staff.

In addition there are 5 Patkaris and three Gauge Karkuns. The strength may be retained.

19. Kalghatgi Village Water Supply Sub-Dn.:- Against a prescribed unti of 3 posts of Overseers prescribed, the existing strength of Overseers is 5. The S.E. states that this is a heavy Sub-Dn. entrusted with the execution of Village Water Supply and Minor Irrigation works which are situated in out of way places. He therefore requests that 2 posts of Overseers in excess of the prescribed unit of 3, may be retained in the interest of speedy execution of works.

In the absence of any convincing reasons justifying the contention by statistical data, and in view of the existing financial stringency the S.E. may be asked to retrench 2 posts of Overseers.

Three posts of Jr. Clerks have been prescribed for a heavy Sub-Dn. In the circumstances the existing strength of 3 Jr. Clerks may be retained.

Proposal to retrench a post of Karkun out of the existing strength of 10 Karkuns may be accepted.

In the absence of any prescribed ~~unti~~ unit, 9 Karkuns and 5 Maistries may be retained.

The S.E. has requested Govt. to retain 5 Khalasis for 5 Overseers. As however it has been proposed to retrench 2 Overseers, 2 Khalasis may also be retrenched.

20 Sirsi Village Water Supply Sub-Dn:- Against three posts of Overseers prescribed, the existing strength is 5. The S.E. states that the remarks offered in case of the Kalghatgi V.W.S. Sub-Dn. also holds good in this case. As in the absence of any convincing reasons 2 posts of Overseers have been proposed to be retrenched from the Kalghatgi V.W.S. Sub. Dn. similar number of Overseers may be also be retrenched from this Sub-Dn.

Proposal to retrench a post of Jr. Clerk out of the existing strength of 4 Jr. Clerks may be approved. This will leave 3 Jr. clerks which have been prescribed for a heavy Sub-Dn. On the analogy of the retention of 3 Jr. Clerks in the Kalghatgi Sub-Dn., equivalent no. may be retained in this Sub-Dn. also.

The.....

50
18

The existing strength of 11 Karkuns and 4 Maistries may be retained as it is.

As only 3 Overseers have been proposed to retained, the S.E.may be asked to retrench one of the 4 Khalasis.

21. The draft put up for approval may issued after U.O.B. to the F.D.

Thro: EB(I)

7.9.50.

2
Vsm/-
6.9.50

Immediate

Ltr. to the F.D.

12th Sept. 1950

FINANCE DEPARTMENT
File No. R1-
Date 12/9/50
Serial No. 39624.

Please see Revised case I.

31.10.50

D. IV. 7. 2499/48(7)

89783

1/11

Original in P.W.D. No. 2499/48-8 8924

57
4

Finance Department

Karnatak Irrigation Circle

The main papers regarding the Karnatak Irrigation Circle are returned herewith (P.W.D. case II).

While requesting the S.E., K.I.S.E. to issue notices, I took into account certain liberalizations which I wish to suggest in the P.W.D. proposals. These are referred to in para 2 of the P.W.D. note above. So far as the posts of Deputy Engineers are concerned, I did not ask the S.E. to take any action thereon as these are gazetted posts. So far as the posts referred to in para 2 of P.W.D. note are concerned, I will briefly explain the position.

(1) Irrigation Project Division (South) : There is probably some mistake in the P.W.D. note about the post of Sr. clerk because this post has been shown for retrenchment in the statement forwarded to the S.E.

(2) "D" SUB Division (Ghataprabha Left Bank Canal Division) : As this is a construction sub division, I feel that retrenchment of two posts of overseers proposed by P.W.D. would be rather drastic and therefore I had requested the S.E. to retrench only one post.

(3) Mechanical Sub Division : I think the reasons given by S.E. justify the retention of the post of tracer and this was accordingly not included in the statement forwarded to the S.E.

(4) Sirsi Village Water Supply Division :
This is a heavy sub division and retrenchment of two posts of overseers would have been rather drastic and I therefore asked the S.E. to retrench only one post of overseer. (Actually, S.E. has suggested the restoration of the second post too).

So far as the proposals contained in S.E's letter dated 7th October 1950 for the retention of certain posts are concerned, I accept the recommendation of the Chief Engineer that the posts in question may not be retrenched.

P.W.D. may kindly issue formal retrenchment orders in regard to the Circle after taking into account the above remarks.

Sd. K.P.M(aluraui)
31.X.50

Letter to P.W.D. Q. 31.X.50.

~~21~~ 29.

EB(II) 21

2499/48(7)/81661

P.W. Deptt.

This Deptt. file No. 2499/48(7) 65730 A '17

containing the Q.C. quoted within has been refd. v.o. to the F.D. on 12.9.50.

Its return may be awaited.

SMD 9.10.50.

DTB 13/10/50

S.A.S.

Asst. to P

8 / 23

2499/48(7)
82924

P.W.D.

E.B.(II).

This Deptt. file No.2499/48(7)/65730 containing the proposals regarding retrenchment in the Karnatak Irrign. Circle has been refd. U.O. to the F.D. on the 12-9-50.

2. In the meantime it may be stated that the tentative list of posts proposed to be retrenched, forwarded to the S.E., Karnatak Irrign. Circle, by the Officer on Spl.Duty (Ret.) does not take into account the following posts proposed by this Deptt. in addition to those proposed by the O.S.D.(R).

(i)	Circle Office	1 Dy.Engr.
(ii)	Irrign.Project Dn. (South)	1 Dy.Engr. 1 Sr.Clerk.
(iii)	'D' Sub-Division (Ghataprabha Left Bank Canal Division).	1 Overseer.
(iv)	Mechanical Sub-Division.	1 Tracer.
(v)	Sirsi Village Water Supply Sub-Division.	1 Overseer.
(vi)	Ghataprabha L.B.C. Dn.	1 Dy. Engr.

3. The S.E., Karnatak Irrign. Circle, has represented (vide pl. p. 1 ante) that one Overseer attached to his office and which is proposed to be retrenched may not be retrenched. The argument advanced is that the work in the Circle Office is of a special nature unlike that of a normal Circle Office. The usual yardstick will not therefore be applicable to this Circle. The volume of technical work recd. in the S.E.'s office for scrutiny is more than normal S.E.'s office. In view of this, the S.E. has suggested that the post of overseer proposed to be retrenched may be continued. In view of the distribution of work shown on pp. 1 and 2 ante an overseer's post proposed to be retrenched may be continued.

4. Ghataprabha Left Bank Canal Division :-
The S.E. has explained in detail the necessity for continuing the whole of the staff which was proposed

for .....

for being retrenched. It is understood that the expenditure of this Division is about Rs.5,00,000 per month. In view of the heavy expenditure it is for consideration whether the S.E.'s request may be granted.

5. 'A', 'B', 'C' and 'D' Sub-Divisions :- Ghataprabha Left Bank Canal Division:- These 4 Sub-Divisions are heavy Sub-Dns. These Sub-Dns. were therefore entitled to 4 clerks each. There are however 3 clerks in each of the Sub-Dns. and the computor has been employed in place of a clerk in the lowest cadre viz. Rs.46-3-85-E.B.-4-105. In view of this, the S.E. may perhaps be allowed to continue the post of one computor in each of the 4 Sub-Dns.

6. Dharwar Irrign. Project Dn (South) / Sub-Dn. In view of the detailed explanation furnished by the S.E. for the retention of a computor's post in each of these offices (pl. see pp 2 and 4 ante) it is for consideration whether the S.E.'s request may be granted.

7. Kalghatgi and Sirsi Villages Water Supply Sub-Dn. The S.E. recommends that out of the 4 overseers and 3 khalasis which were proposed to be retrenched the services of 3 overseers and 3 khalasis should be continued. These 2 Sub-Dns. are in charge of, amongst other things, important minor irrigation works which are to be constructed out of the Loan Programme of Rs.1,00,00,000. As these are important Sub-Divisions, it is for consideration whether the S.E.'s request may be granted.

8. Designs and Distributaries Sub-Division. Regarding the proposal to retrench a post of Overseer from this Sub-Division the S.E. states that as designs of distributaries and works thereon have to be prepared after carrying out field surveys and contouring work of the whole of the Ghataprabha Valley, the strength of 5 overseers is absolutely essential if the designs are to be kept ready for construction in time. In view of this one overseer proposed to be retrenched may perhaps

be .....

2499/48(7)/82924

91 25

be retained.

9. It is understood that the S.E. is separately submitting ~~xx~~ his proposals regarding the retention of the posts of Dy.Engrs. which have been proposed to be retrenched.

10. ~~In the meantime~~ These papers may be refd. U.O. to the O.S.D.(R) in continuation of this Deptt. U.O.R. dated the 12-9-50.

VSD
10/x/50

SMD
11/10/50.

Dy. Secy.

Chief Engr.

The SE's proposals may be accepted. The Karnataka Irrigation Circle is a construction & irrigation circle. In such circles a division is constituted to turn out the number of technical hands. Hence there is no point in retrenching technical hands. It will simply mean less turn out

12.10.50

Vide copy

U.O. O.S.D.(R) dt 13/10/50.

13/10

Finance Department

Karnatak Irrigation Circle

The main papers regarding the Karnatak Irrigation Circle are returned herewith (P.W.D. case II).

While requesting the S.E., K.I.~~S.E.~~C. to issue notices, I took into account certain liberalizations which I wish to suggest in the P.W.D. proposals. These are referred to in para 2 of the P.W.D. note above. So far as the posts of Deputy Engineers are concerned, I did not ask the S.E. to take any action thereon as these are gazetted posts. So far as the posts referred to in para 2 of P.W.D. note are concerned, I will briefly explain the position.

(1) Irrigation Project Division (South) : There is probably some mistake in the P.W.D. note/ above the post of Sr. clerk because this post has been shown for retrenchment in the statement forwarded/ by me to the S.E.

(2) "D" SUB Division (Ghataprabha Left Bank Canal Division) : As this is a construction sub division, I feel that retrenchment of two posts of overseers proposed by P.W.D. would be rather drastic and therefore I had requested the S.E. to retrench only one post.

(3) Mechanical Sub Division : I think the reasons given by S.E. justify the retention of the post of tracer and this was accordingly not included in the statement forwarded to the S.E.

9# 28

(4) Sirsi Village Water Supply Division : This is a heavy sub division and retrenchment of two posts of overseers would have been rather drastic, ~~and~~ I therefore asked the S.E. to retrench only one post of overseer. (Actually, S.E. has suggested the restoration of the second post too)

So far as the proposals contained in S.E's letter dated 7th October 1950 for the retention of certain posts are concerned, I accept the recommendation of the Chief Engineer that the posts in question may not be retrenched.

P.W.D. may kindly issue formal retrenchment orders in regard to the Circle after taking into account the above remarks.

31.10.50

.. Cwor to P.W.D. d. 31.X.50.

P. W. D.
File No. 2499/48(7)
Serial No. 89784

1/11

97
29

2499/48(7)/86154.

E. B. (II). P. W. Deptt.

This Deptt. file No. 2499/48(7)/65730, containing the proposals regarding retrenchment in the Karnatak Irrign. Circle has been refd. u.o. to the F.D. on 12.9.50.

2. It is for orders whether the S.E., Karnatak Irrign. Circle's request for the retention of the posts of P.A. in the Circle Office and that of the P.A. in the Ghatprabha Left Bank Canal, Dn. may be granted. In case the S.E.'s request is favourably considered these papers may be passed on u.o. to the F.D. in continuation of this Deptt. u.o.r. dt. the 12.9.50.

3. The statement refd. to in para. 5 of the letter together with an extract, paras 4 and 5, has been kept in the file No. 2499/48(1) containing the G.L. refd. to for necy. action.

2
CKW
26/x/50.

SMD
26/10/50.

Dy. Secy.

We may agree to the retention of the P.A's post in the office of the Sr. Supdg. Ghatprabha Left Bank Canal Dn. in the interest of the speedy progress of the work. No additional technical Assistant has been allowed in the office of either the S.E Project Design Circle or S.E-2. D.C. who have also to deal with heavy construction programme of irrigation works. It is therefore very difficult to make

Chief Engr.

F.D.

P.T.O

98

an exception in the case of the S.E. K.I.E's Office, and support the S.E's proposal.

kf 26/10/50

Copy. V. Engr. Lr No LTD of 30/10/50

Finance Deptt.
Rq.

For the reasons explained by the S.E., we may agree to retain the P.A to the Exn. Engr. Chakrpakha left Bank Canal Dn.

We may support the P.W.D. view that the addl Dy. Engr in the S.E's office need not be continued and retrenched as originally proposed.

31.10.50

P. W. D.
File No. 2499/48 (7)
O.S.D.(R).
Serial No. 89785

Ltr to P.W.D dt. 31.x.50.

99 31

2499/48(7)/89783/89784/89785

E.B.(II). Public Works Deptt.

Submitted with refce. to this Deptt. u.o.rs. dt. the 12-9-1950, dt. the 13-10-50 and dt. the 30-10-50.

2. The O.S.D.(R) has agreed to the retention of 20 posts mentioned in the column 5 of the statt. on pp. 85-87 ante. The S.E., K.I.C., may therefore be asked to retrench 64 posts mentioned in the column 4 of the statement on pp. 85-87 ante.

3. So far as the posts of S.D.Os. or equivalent charges are concerned, the O.S.D. (R) has agreed to the retention of the post of P.A. to the Ex. Engr., Gh. L.B.Canal Dn.. Thus three gazetted posts viz., P.A. to the Ex. Engr., Irrign. Project Dn. (South), S.D.O., River Gauging Sub-Dn., and the second Dy. Engr. attached to the Kar. Irrign. Circle will have to be retrenched.

4. The O.S.D. (R)'s presumption at item (1) on p. 93 ante is correct.

5. So far as the closure of the River Gauging Sub-Dn. is concerned, the S.E. has reported his willingness to close the Sub-Dn. with effect from 1-11-50. But to collect the data from the Rain and River Gauge Stations, he has proposed to retain 3 Overseers and distribute them by transferring one Overseer to each of the Belgaum, Dharwar Irrigation and the Bijapur Dns. The proposals have been framed in consultation with the S.E., S.C. In the circumstances, sanction to the retention of these posts of Overseers for a period upto the 28-2-51 in the first instance may be accorded.

6. The draft put up for appl. may issue.

2. BAK 2/11/50.

3-11-50.

Dy. Secy.

C.E.

Secy.

Thro. EB(I) & AB(II).

2499/48(7)/105992

P.W.Deptt.

EB (II)

The S.E., K.S.C.'s letter under disposal is self explanatory. The proposal in brief is that a post each of Sr. Clerk may be sanctioned in the 'A' Sub-Dn. and the Mechanical Sub-Dn. in the Ghatprabha Left Bank Canal Dn. because the 2 posts of S.A.C.s were offered to be retrenched, though the real intention was that these posts should be down-graded into those of Sr. Clerks in the grade of Rs. 92-8-140. As these posts are necy., requisite sanction may be accorded in no. consultation with the F.D.

Sd/-
9/1/51.

RII
10.1.51
30835

9/1/51

D.S.

No 67=D 10-1-51

Finance Deptt
R2.

The P.W.D. proposal may be accepted. The P.W.D. may kindly send a copy of the orders for the retrenchment agitation.

Sd/-
11.1.51

11.1.51

U.S.(RD).

2499/48(7)/4169 34

P.W.D depn.

EB(II)

Submitted with refee. to the b.o.r.

dt. the 10.1.51.

2. The F.D. having agreed, the
bp-77-78 Cls
draft put up may issue.

Shri 18/1

18/1/51

Thro: AB(III)

D.S.

18/1/51

EB(II) 15/1

13/1

2499/48(7)
4169

35 2499/48(7)

F Br 70493

P.W.D.

Submitted with refce. to the para 5 of G.I. No. 2499/48(7)-E (II), dt. the 7.11.50. dt. 8.73/5 dt. 1.71/5

2. Information furnished by the S.E., K.D.C., will be utilized as and when reqd.

Enquired.

Record.

25/8/57.

Thro: B Br.

25/8/57

Dy. Secy.

SEPARATOR

G. R., G. D., No. 2408, dated 22-6-22.]

DOCKET SHEET (B)

PART I

Sectt. 78A s

Subject :—

File No. 2499/48 G

P. W. DEPT.

E.B. BRAN

References :—

/

Date.	To whom sent.	Notes and instructions.
11.1.51	Regy.	R1. return this to P.W.D.

S T A T E M E N T - 'A',

(showing staff at the Circle Office)

Name of the Circle Headquarters	Number of Divisions	Gazetted staff	Class III Staff										Class IV staff			
			Technical section					Correspondence section								
		Deputy Engineers	~~Exec~~ Overseers	Head D'man	Asstt. D'man.	Tracers	Computors.	Head Clerk	First Clerk	S.A.C.	Senior Clerks	Junior Clerks	Naik	Peons	Daftar-band	Chowki-dars.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Standard unit of Staff: ...	5 to 6	1	2	1	1	1	1	1	1	1	3	6 (including typists)	1	6	1	1
Karnatak Irrigation Circle, Dharwar (a)	3	2	3	1	1	1	1	1	1	2	2	4 Jr. clerks 2 typists in the grade of 70-3-85-E.B.-4-105--E.B.-4-125.	1 Havaldar	7	1	1
(b)	-	A	A	-	-	-	-	-	-	B	-	-	-	C	-	-

(A) This circle has to deal with questions regarding large construction work of Ghataprabha Left-Bank Canal as also Project work of Major Irrigation Schemes in the Karnatak. For conducting correspondence highly technical nature including scrutiny of projects of 'Grow More Food' Schemes of top priority, the entertainment of one additional Deputy Engineer and one additional Overseer is absolutely necessary. The work in this Circle is different and of special nature from that in the normal Circles. 47

(B) Since work in the Superintending Engineer's office is of Administrative nature requiring careful and prompt attention, the services of two experienced ~~Senior~~ Senior Accounts Clerk, in the minimum, are absolutely essential in the interest of Government work. Two Senior Accounts Clerks have therefore been sanctioned by Government by reducing one post of a Senior Clerk in column 12 of the statement. The extra cost on account of this is therefore practically negligible as compared to the advantage gained.

(C) There are 10 persons in the office of the Superintending Engineer, Karnatak Irrigation Circle including two Deputy Engineers (and excluding one Superintending Engineer) and so the sanctioned strength of 9 class IV servants is absolutely required to be entertained as shown below:-

3 peons for office
1 Chowkidar
1 Havildar
2 Peons (extra) for Superintending Engineer as he has to tour extensively throughout his jurisdiction which extends over 4 Districts.
2 Peons for Superintending Engineer (personal).

Superintending Engineer,
Karnatak Irrigation Circle.

Note (1): (a) Sanctioned staff after re-organisation should be shown against this.
(b) Staff proposed to be retrenched in the light of the standard units of staff fixed.
(2) The number of permanent posts should be shown above the line and temporary posts below the line, e.g. $\frac{3}{4}$ (i.e., 3 permanent and 4 temporary posts).

S T A T E M E N T - 'B'.

showing staff at the Divisional office.

Name of Division. / Headquarters	No. of Sub-Dns.	Repairs & special repairs.		Original works		Total		Gazetted staff	Accounts Branch						Corres-pondence Branch			Drawing and Projects Branch						Class IV staff			
		1949-50	1950-51 budget	1949-50	1950-51 budget	1949-50	1950-51 budget	Deputy Engineers	Accountant	Sr.Acs.Clerk	Sr.Clerks	Jr.Clerks	Storekeeper	Assistant Storekeeper	Headclerks	Senior clerks	Jr.clerks.	Overseers	Subover-seers.	Draftsman	Asstt.D.M.	Tracers	Computors.	Havildars.	Naiks.	Peons.	Chowkidars
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
Standard unit of staff	4 to 5	-	-	-	-	-	-	-	1	1	2	4	1	-	1	2	5 including 2 typists	0	-	1 temp.	1	2	1	-	1	5	1(if necessary)
1. Irrigation Projects Dn. (South), Dharwar.	4	-	64,000	70,849	54,500	70,849	1,18,500	(a) 1	1	1	2	3	-	-	1	3	5 including 2 typists in the grade of Rs.70-3-85-E.B.-4-105-E.B.-4-125)	3	-	1	1	2	2	- (In addition, there is one Daftary for maintaining records	1	5	1
	1							(b) A	-	-	-	1	-	-	-	B	2	-	-	1	-	-	C	-	-	-	-

| | | |

Accompaniment to Statement 'B'.

EXPLANATION FOR INCREASED STRENGTH OF STAFF.

(1) Irrigation Projects Division (South):

A: One Deputy Engineer is attached to the Divisional Office, as technical assistant to help the Executive Engineer in dealing with highly technical matters concerning investigation and designing of Major Irrigation works, Dams, Canals etc.

B:- There are two posts of typists in the Divisional office which carry the scale of Rs.70-3-85-4-105-E.B.-5-125. As the typing work is heavy, candidates who are proficient in typing and who can cope with the heavy rush of typing work have been appointed by special selection after test. Good typists may not be available if they are given the junior clerk's pay scale and consequently the typing work will suffer both in quality and quantity.

C: As this is a Project Division, the services of two computors (as against the standard unit of one applicable for normal Division) are absolutely essential.

(2) Ghataprabha Left Bank Canal Division:

D: There are two posts of Deputy Engineers attached to the office of the Executive Engineer, Ghataprabha Left Bank Canal Division. One Deputy Engineer is in charge of Designs Branch (which consists of 4 overseers, 1 tracer, 1 computor and 2 khalasis) where work of highly technical nature viz. designing and estimating of aqueducts, masonry culverts, canal distributaries etc. is carried out. The second Deputy Engineer acts as a personal Assistant to the Executive Engineer. As this is a heavy construction Division the assistance of one Deputy Engineer is absolutely essential in respect of office and technical work in order to enable the Executive Engineer to pay more and frequent attention to construction work and solve difficulties and issue suitable instructions on site of work. Both these posts of Deputy Engineers are, therefore, essential in the interest of work.

E: As this is a heavy construction Division with six Sub-Divisions and one Designs Branch in the Divisional office, the standard unit of staff under various categories applicable to normal Divisions cannot be rigidly applied in this case. The volume of accounts, stores and correspondence work is, therefore, naturally heavy and to cope with that work, the following extra staff which is found in excess of the standard unit for 4-5 Sub-Divisions is absolutely necessary.

Accounts Branch.

1 Senior Accounts Clerk
1 Senior Clerk
1 Junior Clerk
1 Assistant Store-keeper

Correspondence Branch.

2 posts of typists in the grade of Senior clerks viz. Rs.92-8-140 have been sanctioned to cope with the heavy typing work. These are absolutely essential in the interest of work. These will be continued so long only as the present incumbents hold them.

Drawing....

Drawing & Project Branch.

F: 4 Overseers are attached to the Designs Branch in the Divisional office and the remaining two are intended for carrying out correspondence regarding technical matters, Progress Reports, Machinery and Special articles of Tools and Plant.

E: One ~~x~~ additional computor is necessarily required for the Designs Branch in the Executive Engineer's office.

(3) Dharwar Irrigation Division.

G: The post of a Personal Assistant to the Executive Engineer, Dharwar Irrigation Division is necessarily required as the Division is heavy and entrusted with the execution of Special Programme of Minor Irrigation works in connection with 'Grow More Food campaign'. The number of tank works as well as Village Water Supply Works to be looked after being very large, the Executive Engineer requires the assistance of a Personal Assistant who is also entrusted with the work of compilation of 'Tank Manual'.

H: As the Division is heavy 2 posts of Senior Accounts Clerks are sanctioned - one in the Accounts Branch and the other in the Correspondence Branch to deal with the important irrigation ~~max~~ matters relating to First Class Irrigation Works as well as Minor Irrigation Tanks and Village Water Supply Works.

L: As the Division comprises of 7 Sub-Divisions as against the normal unit of 4 to 5 and is also entrusted with the execution of V.W.S.works, the normal standard of clerical strength cannot be made applicable in this case. The Division has to deal with voluminous correspondence (including accounts) on account of numerous works scattered over large area. The additional staff over and above the normal standard unit, is absolutely necessary.

Superintending Engineer, K.I.C.

BR/8-8.

Karnatak Irrigation Circle, Dharwar.

STATEMENT - C.

(Showing staff at the Sub-Divisional Offices and the expenditure incurred during the last two years).

Name of Sub-Division	Expenditure incurred on - Repairs and Spl.repairs. 1949-50	Repairs and Spl.repairs. 1950-51 budget	Original works 1949-50	Original works 1950-51 budget	Total 1949-50	Total 1950-51 budget	Superior Staff - Technical Section. Overseers	Suboverseer	Surveyors	Tracers	Computors	Asstt.D.M.	Mechanics.	Clerical Section. Senr.Clerks	Junr.Clerks	Karkuns	Maistries	Class IV staff. Peons	Khalasis	Tapalis	Engine Drivers	Cleaners	Chowkidars.	-
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	-
Standard Unit of staff.							3	-	-	No tracers & computors for normal Sub-Divisional Offices but one tracer may be sanctioned for a project Sub-Divl.office.				1	3	-	-	3	-	-	-	-	1 (if necessary	
														1	2 (Light Sub-Division)									
														1	1 (Project Sub-Division)									
Irrigation Projects Division(South).																								
(1) Ghataprabha Right Bank Canal Sub-Division.	-	-	32416	23000	32,416	23,000	(a)5	4	-	1	1	-	-	1	2	-	-	4	-	-	-	-	1	
							(b)A	A 1	-	-	A -	-	-	-	-	-	-	1	-	-	-	-	-	
(2) Reconnaissance I.P. Sub-Division.	-	-	8,029	25,500	8,029	25,500	(a)4	4	-	1	1	-	-	1	2	-	-	5	-	-	-	-	1	
							(b)1	A	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	
(3) Soil Research Sub-Dn.	-	-	28,439	6,000	28,439	6,000	(a)-	1	4	2	2	-	-	1	3	-	-	5	-	-	-	-	1	
								(In addition there are 3 Graduate Assistants, one laboratory Assistant, 4 Auger Measurers, 4 Auger Mucadams and 2 Fieldmen for the Soil Research Laboratory attached to this Sub-Dn.)															
							(b)	- B	1 B	1	1	-	-	-	1	-	-	1 C	-	-	-	-	-	
(4) River Gauging Sub-Dn.	Not known	44,000	Not known	-	Not known	44,000	(a) 3	-	-	1	1	-	-	1	2	-	-	3	2	-	-	-	-	
							(b)Vide appendix	-	1	1	-	-	1	2	-	-	3	2	-	-	-	-	-	

Karnatak Irrigation Circle, Dharwar.

STATEMENT - C.

(Showing staff at the Sub-Divisional Offices and the expenditure incurred during the last two years).

Name of Sub-Division	Expenditure incurred on - Repairs and Spl.repairs. 1949-50	Repairs and Spl.repairs. 1950-51 budget	Original works 1949-50	Original works 1950-51 budget	Total 1949-50	Total 1950-51 budget	Superior Staff - Technical Section. Overseers	Suboverseer	Surveyors	Tracers	Computors	Asstt.D.M.	Mechanics.	Clerical Section. Senr.Clerks	Junr.Clerks	Karkuns	Maistries	Class IV staff. Peons	Khalasis	Tapalis	Engine Drivers	Cleaners	Chowkidars.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Standard Unit of staff.							3	-	-	No tracers & computors for normal Sub-Divisional Offices but one tracer may be sanctioned for a project Sub-Divl.office.				1 (Normal and Heavy) 1 (Light Sub-Division) 1 (Project Sub-Division)	3	-	-	3	-	-	-	-	1 (if necessary
Irrigation Projects Division(South).																							
(1) Ghataprabha Right Bank Canal Sub-Division.	-	-	32416	23000	32,416	23,000	(a)5	4	-	1	1 A	-	-	1	2	-	-	4	-	-	-	-	1
							(b)A	1 A	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(2) Reconnaissance I.P. Sub-Division.	-	-	8,029	25,500	8,029	25,500	(a)4	4	-	1	1	-	-	1	2	-	-	5	-	-	-	-	1
							(b)1	A	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-
(3) Soil Research Sub-Dn.		-	28,439	6,000	28,439	6,000	(a)-	1	4	2	2	-	-	1	3	-	-	5	-	-	-	-	1
								(In addition there are 3 Graduate Assistants, one laboratory Assistant, 4 Auger Measurers, 4 Auger Mucadams and 2 Fieldmen for the Soil Research Laboratory attached to this Sub-Dn.)														
							(b)	- B	1 B	1	1	-	-	-	1	-	-	1 C	-	-	-	-	-
(4) River Gauging Sub-Dn.	Not known	44,000	Not known	-	Not known	44,000	(a)	3	-	-	1	1	-	-	1	2	-	-	3	2	-	-	-	-
							(b)	Vide appendix		-	1	1	-	-	1	2	-	-	3	2	-	-	-	-

Ghataprabha Left Bank Canal Division:-																											
(5) 'A' Sub-Division	45,881	12,058	1054908	700000	1100789	712058	(a)	4	2	-	1	1	-	-	1 S.A.E	2	-	-	4	-	-	-	-	1	
								(In addition, there are 2 canal Inspectors, 10 Patkaris, 1 Weir Khalasi, 2 Measurers, 1 Gauge karkun and 1 Mustering Clerk who are employed on the management & maintenance of the Gokak Canal.)																	
							(b)	- D	- E	-	1	F	-	-	-	-	-	-	1	-	-	-	-	-	2
(6) 'B' Sub-Division	270	5,000	466412	500000	466682	505000	(a)	3	2	-	1	1	-	-	1	2	-	-	4	-	-	-	-	1	
							(b)	-	E	-	1	F	-	-	-	-	-	-	1	-	-	-	-	-	4
(7) 'C' Sub-Division	836	5,000	769182	700000	770018	705000	(a)	3	2	-	1	1	-	-	1	2	-	-	4	-	-	-	-	1	
							(b)	-	E	-	1	F	-	-	-	-	-	-	1	-	-	-	-	-	36
(8) 'D' Sub-Division		5,000	-	500000	-	505000	(a)	5	3	-	1	1	-	-	1	2	-	-	4	-	-	-	-	1	
							(b)	E	E 1	-	1	F	-	-	-	-	-	-	1	-	-	-	-	-	7
(9) Mechanical Sub-Divn.	12	15000	1206701	1000000	1206713	1015000	(a)	2	-	-	1	-	-	-	1 S.A.C.	1	1 Store keeper	-	3	-	-	-	-	1	
								Mechanical																		
							(b)	-	-	-	G	-	-	-	-	-	F	-	-	-	-	-	-	-	
(10) Distributary Surveys & Designs Sub-Divn.	12	5000	98997	95000	99009	100000	(a)	5	3	-	1	1	-	-	1	2	-	-	4	-	-	-	-	1	
							(b)	J	J	-	J	1	-	-	-	-	-	-	1	-	-	-	-	-	41
Dharwar Irrigation Division.																											
(11) Dharwar Irrigation Project Sub-Division	-	-	-	9,540	-	9,540	(a)	3	-	10	1	1	-	-	1	2	-	-	3	3	-	-	-	-	
							(b)	-	-	K	-	K	-	-	-	1	-	-	1	1 L	-	-	-	-	44
(12) Dharwar Irrign.Sub-Dn.	-	68000	-	2,000	-	70,000	(a)	3	-	-	1	-	-	-	1	2	6	3	3	3	-	-	-	-	
							(b)	-	-	-	1	-	-	-	-	-	2	1	1	L	-	-	-	-	44

(13)....

(13) Haliyal Irrign.Sub-Dn.	-	73340	-	2,340	-	75,680	(a)	3	-	-	-	-	-	-	1	2	3	1	3	3	-	-	-	-
							(b)	-	-	-	-	-	-	-	-	-	-	-	-	L	-	-	-	-
(14) Hangal Irrign.Sub-Dn.	94333	28720	286549	76620	380882	155340	(a)	3	-	-	-	-	-	-	1	2	8	2	3	3	-	-	-	4 (bunga-low chowkidar
							(b)	-	-	-	-	-	-	-	-	-	-	-	-	L	-	-	-	-
(15) Havasbhavi Irrigation Sub-Division.	178825	67560	2394	14655	181219	82215	(a)	2 (In addition there are 5 patkaris and 3 gauge karkuns).	-	-	-	-	-	-	1	2	9	2	3	2	-	-	-	2 bunga low cho kidars.
							(b)	-	-	-	-	-	-	-	-	-	-	-	-	L	-	-	-	-
(16) Kalghatgi V.W.S. Sub-Division.	15,322	63,000	6,39,266	54000	654588	117000	(a)	5	-	-	-	-	-	-	1	3	10	5	3	5	-	-	-	-
							(b)	M	-	-	-	-	-	-	-	-	1	-	-	L	-	-	-	-
(17) Sirsi V.W.S.Sub-Dn.	Not known	63,000	Not known	54000	-	117000	(a)	5	-	-	-	-	-	-	1	4	11	4	3	4	-	-	-	-
							(b)	N	-	-	-	-	-	-	-	1	-	-	-	L	-	-	-	-

Superintending Engineer,
Karnatak Irrigation Circle.

BR/8-8.

Note (1) (a) Sanctioned staff after reorganisation should be shown against this.
(b) Staff proposed to be retrenched in the light of the standard units of staff fixed.

Note (2) The number of permanent posts should be shown above the line and temporary posts below the line e.g., 3/4 (i.e., 3 permanent and 4 temporary posts).

Accompaniment to Statement 'C'

EXPLANATION FOR INCREASED STRENGTH OF STAFF

Irrigation Projects Division (South)

(1) Ghataprabha Right Bank Canal Sub-Division.
(2) Reconnaissance Irr.Projects Sub-Division.

A:- As this Sub-Dividon has to carry out investigation and field surveys of alternative dam sites for Ghataprabha Valley Project, the normal unit of 3 overseers is not adequate and so the present strength of 5 overseers and three suboverseers is absolutely essential for this Sub-Division. As this is a heavy Project Sub-Division, the services of a computor are necessary for computing and checking arithmetical calculations etc. in project estimates. This remark holds good (excepting for a computor) in the case of Reconnaissance I.P.Sub-Division also which is carrying out reconnoitary surveys of Major Irrigation schemes in Karnatak.

(3) Soil Research Sub-Division.

B:- For Soil Classification work of Ghataprabha Valley the services of 3 Agricultural Graduate Surveyors are required in addition to one Suboverseer who is sanctioned for carrying out field surveys.

C:- As one Soil Research Laboratory is attached to this Sub-Division, the services of an additional peon are necessary.

Ghataprabha Left Bank Canal Division.

(5) 'A' Sub-Division.

D:- For looking after the management and maintenance of the Gokak Canal one post of a Sectional Overseer has been sanctioned and is transferred to this Sub-Division along with the transfer of the Gokak Canal from Belgaum Division in the Southern Circle.

E:- As this Sub-Division is also a construction Sub-Division the existing sanctioned strength of overseers and suboverseers is absolutely necessary for supervision of work carried out by piecoworkers.

F:- As this is a heavy Sub-Division, the services of a computor are essential in as much as only three clerks are sanctioned for the Sub-Division as against the standard unit of 4 clerks fixed for a heavy Sub-Division. This remark holds good in the case of all remaining construction Sub-Divisions in this Division, viz. 'B', 'C' and 'D' Sub-Divisions which are considered as heavy Sub-Divisions.

(6) 'B'Sub-Division, (7) 'C' Sub-Division and
(8) 'D' Sub-Division.

E:- The remarks made against item 'E' in the 'A' Sub-Division holds equally good in the case of these three Sub-Divisions which are also entrusted with the canal construction work.

(9) Mechanical Sub-Division.

G:- The services of a tracer for this Sub-Division are necessary for tracing mechanical drawings of spare parts of machinery etc.

H:-...

H:- For keeping proper accounts of heavy machinery, articles of special Tools & Plant such as trucks, jeeps, tractors, etc. which are maintained and repaired in this Sub-Division, the services of one storekeeper are absolutely essential. This Sub-Division has heavy transactions of accounts in respect of stores and machinery.

(10) Distributary Surveys & Designs Sub-Division:

J:- This Sub-Division has to carry out field surveys and contouring work of the whole of the Ghataprabha Valley and prepare designs for distributaries of the canal. The services of the following sanctioned staff are therefore essentially required:-

5 Overseers
3 Suboverseers
1 Tracer.

Dharwar Irrigation Division:

(11) Dharwar Irrigation Projects Sub-Division:

K:- As this is a Project Sub-Division, 10 surveyors are sanctioned for carrying out surveys of Minor Irrigation works in the Dharwar and Kanara Districts and preparing Plans and Estimates therefor. The services of a computor are required for the purpose of computing and arithmetically checking a number of estimates for Minor Irrigation tank works.

L:- Khalassis are sanctioned for Sectional Overseers who carry out outdoor duties, in addition to peons who are sanctioned for Sub-Divisional offices. These posts are therefore essential. This remark holds good in the case of all Sub-Divisions in the Dharwar Irrigation Division.

(16) Kalghatgi V.W.S.Sub-Division:

M:- As this is a heavy Sub-Division, entrusted with the execution of V.W.S. and Minor Irrigation works which are situated in out of the way places, 5 posts of Overseers are sanctioned and these are necessary in the interest of speedy execution of works.

(17) Sirsi V.W.S.Sub-Division.

N:- The remark against item 'M' in the Kalghatgi V.W.S. Sub-Division holds good in the case of this Sub-Division, which is also entrusted with repairs to Minor Irrigation works in the jurisdiction of this Sub-Division.

Superintending Engineer,
Karnatak Irrigation Circle.

BR/8-8.

A P P E N D I X - I.

River Gauging Sub-Division may be abolished:

The River Gauging Sub-Division, Belgaum has been transferred to the Irrigation Projects Division(South) Dharwar in this Circle with effect from 1st August 1950. There are in all 43 Rain gauges and 27 River Gauges in charge of this Sub-Division and are located as shown below district-wise:-

Name of District	Rain Gauges	River Gauges.
1. Belgaum	18	6
2. Dharwar	5	6
3. Bijapur	-	9
4. North Kanara	18	1
5. Kolhapur	2	5
Total:	43	27

2. As the data to be collected from these Rain and River Gauge stations is very valuable and important, the work cannot be closed down. Special attention is also necessary to see that the data are carefully collected. However, in view of the financial stringency a trial may be made by closing down the Sub-Division on 1st November 1950 (close of the monsoon) and entrusting the work to the existing normal P.W.D.Sub-Divisions in whose jurisdictions the stations are located and compilation of the data so collected may be done in the respective Divisional offices.

3. From the figures given above, it may be seen that there is substantial number of River Gauging Stations in the Belgaum, Dharwar and Bijapur Districts requiring constant supervision by technical Subordinates. It is, therefore, proposed that three posts of Overseers sanctioned for this Sub-Division should be distributed by transferring one overseer to each of the Belgaum, Dharwar Irrigation and Bijapur Divisions. The Rain Gauges can be looked after by the respective P.W.D. Sectional Overseers. The effect of this on the quality of work should be reviewed after one year.

(b) Amalgamation of the Dharwar Irrigation Sub-Division with the Haliyal Irrigation Sub-Division:

The proposal of amalgamating the Haliyal Irrigation Sub-Division with that of the Dharwar Irrigation Sub-Division would be premature at this stage as it is likely to hinder the progress on 'Grow More Food' Schemes in the Haliyal Irrigation Sub-Division.

2. The Haliyal Irrigation Sub-Division comprises of three talukas viz. Haliyal, Yellapur and Supa and consists of 1589 tanks which require to be attended to. In order to popularise this scheme, the Collector of Karwar recently held a special meeting at Yellapur and the advantages thereof were impressed upon the cultivators who immediately promised contributions for 49 tanks. If these promises materialise and the present tempo is maintained, it may be impossible for one Deputy Engineer to prepare plans and estimates and carry out execution thereof in time so as to meet the needs of Irrigators.

3. ...

3. In the circumstances, it is suggested that the question of amalgamating the Dharwar Irrigation Sub-Division may be considered after a period of six months by which time it is expected that sufficient experience regarding the extent of popular contributions and works to be executed in the Haliyal Irrigation Sub-Division may be gained.

Superintending Engineer,
Karnatak Irrigation Circle.

BR/8-8.

STATEMENT D.

(Showing number of posts retrenched).

S.No.	Name of the Administrative Department. / Name of the Head of the Department.	Name of the office.	Designation of the post.	Pay scale of the post.	No.of posts.	Remarks.
1	2	3	4	5	6	7
				Rs		
1	Public Works Department.					
	Superintending Engineer, Karnatak Irrigation Circle, Dharwar.	(a) Office of the Executive Engineer,Irrigation Projects Dn.(South), Dharwar.	1) Junior Clerks	46-3-85-4-105	3	
			ii)Draftsman	110-10-180	1	
					4	
		(b) Office of the Deputy Engineer,Ghataprabha Right Bank Canal Sub-Dn; Belgaum.	1) Suboverseer	70-3-85 E.B.-4-105 E.B.-5-145.	1	
			ii) Class IV servants.		1	
					2	
		(c) Office of the Deputy Engineer,Reconnaissance Irrigation Projects Sub-Dn.Dharwar.	1) Overseer	80-5-100-8-140-10--220-10-270.	1	
			ii) Computor	46-3-85-4-105	1	
			iii) Class IV servants.	30-1/2-35	2	
					4	

(d) Office of the Deputy Engineer,Soil Research Sub-Dn.Dharwar.	i)	Surveyor	80-5-100-8-140-10--220-10-270	1
	ii)	Tracer	46-3-85-4-105	1
	iii)	Computor	-do-	1
	iv)	Junior clerk	-do-	1
	v)	Class IV servants	30-1/2-35	1
				5
(e) Office of the Deputy Engineer,River Gauging Sub-Dn.(Karnatak), Belgaum.	i)	Deputy Engineer	220-15-400-20-500-25-650.	1
	ii)	Tracer	46-3-85-4-105	1
	iii)	Computor	-do-	1
	iv)	Senior clerk	92- 8-140	1
	v)	Junior clerk	46-3-85-4-105	2
	vi)	Peons	30-1/2-35	3
	vii)	Khalasis	-do-	2
				11

Posts retrenched other than those shown in statements "A", "B" and "C".

(a) Office of the Deputy Engineer,Reconnaissance Irrigation Projects Sub-Dn.Dharwar.	i)	Auger-Cum-Gauge Measurers.	46-3-70	3
	ii)	-do- -do-Karkun	46-3-85	3
				6

P.T.O.

S.No.	Name of the Administrative Department. / Name of the Head of the Department.	Name of the office	Designation of the post.	Pay scale of the post.	No.of posts.	Remarks.
1	2	3	4	5	6	7
		(b) Office of the Deputy Engineer,Soil Research Sub-Dn., Dharwar.	i) Graduate - Laboratory Assistant.	80-5-100-8-140-10-200	1	
			ii) Fieldman.	46-3-61-3-85	2	
					3	
			Total for Irrigation Projects Division (South),Dharwar.		35	
		(a) Office of the Executive Engineer, Ghataprabha Left Bank Canal Division.	i) Junior clerk.	46-3-85-4-105	1	
			ii) Overseer	80-5-100-8-140 -10-220-10-270	1	
					2	
		(b) Office of the Deputy Engineer,"A" Sub-Dn.	i) Tracer	46-3-85-4-105	1	
			ii) Peon	30-1/2-35	1	
					2	
		(c) Office of the Deputy Engineer,"B" Sub-Dn.	i) Tracer	46-3-85-4-105	1	
			ii) Peon	30-1/2-35	1	
					2	
		(d) Office of the Deputy Engineer,"C" Sub-Dn.	i) Tracer	46-3-85-4-105	1	
			ii) Peon	30-1/2-35	1	
					2	
		(e) Office of the Deputy Engineer,"D" Sub-Dn.	i) Tracer	46-3-85-4-105	1	
			ii) Peon	30-1/2-35	1	
			iii) Suboverseer.	70-3-85-4-105-5-145	1	
					3	

(f) Office of the Deputy Engineer, Distributary Surveys & Designs Sub-Dn.	i) Peon		30-1/2-35	1
	ii) Computor		46-3-85-4-105	1
				2
	Total for Ghataprabha Left Bank Canal Dn.			13
(a) Office of the Executive Engineer, Dharwar Irrigation Dn.	i) Junior Clerks		46-3-85-4-105	3
	ii) Tracer		-do-	1
				4
(b) Office of the Deputy Engineer, Dharwar Irrigation Projects Sub-Dn.	i) Junior clerk		-do-	1
	ii) Peon		30-1/2-35	1
	iii) Khalasi		-do-	1
				3
(c) Office of the Deputy Engineer, Dharwar Irrigation Sub-Dn.	i) Tracer		46-3-85-4-105	1
	ii) Karkuns		46-3-85	2
	iii) Maistry		55-[illegible]-85-4-105	1
	iv) Peon		30-1/2-35	1
				5
(d) Office of the Deputy Engineer, Village Water Supply Sub-Dn.	i) Karkun		46-3-85	1

				1
(e) Office of the Deputy Engineer, Sirsi Village Water Supply Sub-Dn.	i) Junior Clerk.		46-3-85-4-105	1

				1
	Total for Dharwar Irrigation Division.			14
	GRAND TOTAL FOR KARNATAK IRRIGATION CIRCLE			62

Statement showing the amounts of Savings effected on account of retrenchment proposed under various categories of staff in the Karnatak Irrigation Circle.

No. of Posts proposed to be retrenched. (separately in each category).	Scale of Pay of Posts.	Amounts saved during 1950-51 on account of			Annual saving on account of			Remarks.
		Pay.	D.A.	Total.	Pay.	D.A.	Total.	
1	2	3	4	5	6	7	8	9
	Rs	Rs	Rs	Rs	Rs	Rs	Rs	
2 Overseers. (At Rs 116 per mensem each).	80-5-100-8-140-10-220-10-270.	2784	1200	3984	2784	1200	3984	
1 Surveyor. (At Rs 95 per mensem).	-do-	1140	540	1680	1140	540	1680	
2 Suboverseers.	70-3-85-EB-4-105-5-145.	1680	1080	2760	1680	1080	2760	
1 Graduate Laboratory Assistant.	80-5-100-8-140-10-200.	960	540	1500	960	540	1500	
1 Draftsman.	110-10-180.	1320	600	1920	1320	600	1920	
4 Computors. (2 from 1-8-50, 3rd from 1-11-50 & 4th from 1-3-50).	46-3-85-4-105.	1380	1050	2430	2208	1680	3888	
1 Deputy Engineer. (from 1-11-50).	220-15-400-20-500-25-650.	880	240	1120	2640	720	3360	
1 Senior Clerk. (from 1-11-50).	92-8-140.	368	180	548	1104	540	1644	

12 Junior Clerks. (2 from 1-11-50, 5 from 1-3-50, 3 from 1-7-50 & 2 from 1-8-50).	46-3-85-4-105.	5830	4770	10600	7920	6480	14400
17 Class IV Servants. (5 from 1-8-50, 5 from 1-11-50, 4 from 1-3-50 & 3 from 1-4-50).	30-1/2-35.	4080	4760	8840	6120	7140	13260
8 Tracers. (1 from 1-11-50, 4 from 1-10-50, 2 from 1-4-50 & 1 from 1-5-50).	46-3-85-4-105.	2668	1820	4488	4416	3360	7776
3 Karkuns. (From 1-4-50).	46-3-85.	1518	1155	2673	1656	1260	2916
1 Maistry. (From 1-4-50).	55-3-85-4-105.	605	495	1100	660	540	1200
3 Auger-cum-Gauge Measurers. (From 1-3-50).	46-3-70.	1656	1260	2916	1656	1260	2916
3 Auger-cum-Gauge Karkuns. (From 1-3-50).	46-3-85.	1656	1260	2916	1656	1260	2916
2 Fieldsmen. (From 1-3-50).	46-3-61-3-85.	1104	840	1944	1104	840	1944
62		29629	21790	51419	39924	29040	68064

Note :- The posts accounted for above also include posts for which no Budget grants have so far been sanctioned by Government during the current year.

2499/48(7)/657

Letter

P.W.Deptt.

No. 2499/48(7)-E(II).

B.C. (Bombay No.1)

17th Aug. 1950

To

The S.E., Karnatak Irrgn. Circle.

Subject:- Retrenchment.

Refee:- Your endt. No. G.55, dt. the 9.8.1950.

2. Pl submit very early your proposals regarding the closure of the River Gauging Sub-Dn., in the Irrgn. Projects Dn. (South). A statement showing the no. of posts in different categories likely to be retrenched, the consequent annual savings and savings likely to be realised during the current financial year should also be submitted.

3. Necy. arrangements regarding the distribution of the several Gauging Chargers should be made in

with the S.E., S.C., and the matter should be reported to Govt. DA: Nil.

By Order etc.,
A.S. to the Govt.
P.W.D.

Copy forwarded to the S.E., S.C., for information.

SMZ
16.8.50.



2499/48(7)/65730

Immediate
No:2499/48(7)-E(II).

P. W. D.,
B.C.(Bombay No.1),
Sept. 1950.

To

The S.E., Karnatak Irrgn. Circle.

Subject: Retrenchment.

Refce:- Your endt. No.G.55, dated the 9th August 1950.

2. It is presumed that in the statement accompanying your endt. refd. to the retrenchment proposed is inclusive of the retrenchment already carried out before 1-11-50. Against 20 posts proposed to be retrenched from 1-11-50 and 42 posts retrenched before 1-11-50, the following 88 posts are required to be retrenched. Thus 46 posts (88-42) should be retrenched with effect from 1-11-50. These posts will be in addn. to the 42 posts already retrenched. The details of the total 88 posts (46 posts to be retrenched now plus 42 posts already retrenched) will be as shown below:-

(i) Circle Office:- 1 Deputy Engineer.(Rs.220-15-400-E.B.-20-500-E.B.-25-650).

1 Overseer.(Rs.80-5-100-8-140-E.B.-10-220-E.B.10-270).

1 Peon. (Rs. 30-1/2-35).

(ii) Irrigation Project Division(South). 1 Dy. Engr.(Rs.220-15-400-E.B.-20-500-E.B.-25-650).

1 Sr.Clerk. (Rs.92-8-140).

1 Computor. (Rs.46-3-85-E.B.-4-105).

3 Jr.Clerks.(Rs.46-3-85-E.B.-4-105).

1 Draftsman.(Rs.100-4-120-5-170 or Rs.110-10-180-for D.C.Es.)

(iii) Ghatprabha Left Bank Canal Sub-Dn. 1 Dy. Engr.(Rs.220-15-400-E.B.-20-500-E.B.25-650).

2 Overseers.(Rs.80-5-100-8-140-E.B.-10-220-E.B.-10-270).

1 Sr. Accts. Clerk.(Rs.100-8-140-10-150).

1 Sr.Clerk.(Rs.92-8-140).

2 Jr.Clerks(Rs.46-3-85-E.B.-4-105).

1 Asstt.Storekeeper.(Rs.46-3-85-E.B.--4-105).

1 Computor.(Rs.46-3-85-E.B.-4-105)

1 Peon. (Rs.30-1/2-35).

(iv).....

(iv) Dharwar Irrigation Sub-Division:-

2 Sr. Clerks. (Rs.92-8-140).

3 Jr.Clerks. (Rs.46-3-85-E.B.-4-105).

1 Tracer.(Rs.46-3-85-E.B.-4-105).

1 Peon.(Rs.30-1/2-35).

(v) Ghatprabha Right Bank Canal Sub-Dn.

1 Overseer.(Rs.80-5-100-8-140-E.B.-10-220-E.B.-10-270).

1 Sub-Overseer.(Rs.70-3-85-E.B.-4-105-E.B.-5-145).

1 Peon.(Rs.30-1/2-35.).

(vi) Reconnaissance Irrgn. Project Sub-Dn.

1 Overseer.(Rs.80-5-100-8-140-E.B.-10-220-E.B.-10-270).

1 Computor.(Rs.46-3-85-E.B.-4-105).

2 Peons.(Rs.30-1/2-35).

(vii) Soil Research Sub-Dn.

1 Surveyor.(Rs.80-5-100-8-140-E.B.-10-220-E.B.10-270).

1 Tracer.(Rs.46-3-85-E.B.-4-105).

2 Computors.(Rs.46-3-85-E.B.-4-105).

1 Jr.Clerk. (Rs.46-3-85-E.B.-4-105).

1 Peon. (Rs.30-1/2-35).

(viii) River Gauging Sub-Dn.

1 Dy. Engr.(Rs.220-15-400-E.B.-20-500--E.B.20-650).

1 Tracer.(Rs.46-3-85-E.B.-4-105).

1 Computor.(Rs.46-3-85-E.B.-4-105).

1 Sr.Clerk.(Rs.92-8-140).

2 Jr.Clerks.(Rs.46-3-85-E.B.-4-105).

3 Peons. (Rs.30-1/2-35).

2 Khalasis.(Rs.30-1/2-35).

(ix) 'A' Sub-Dn: Ghatprabha Left Bank Canal Division.

S.A.C.'s post in the grade of Rs.100-8-140-10-150, should be converted into the Sr.Clerk's post in the pay scale of Rs.92-8-140.

1 Computor.(Rs.46-3-85-E.B.-4-105).

1 Tracer.(Rs.46-3-85-E.B.-4-105).

1 Peon. (Rs.30-1/2-35).

(x) 'B' & 'C' Sub-Dns.

2 Tracers.(Rs.46-3-85-E.B.-4-105). (one from each Sub-Dn.).

2 Computors.(Rs.46-3-85-E.B.-4-105). (one from each Sub-Dn.).

2 Peons.(Rs.30-1/2-35). (one from each Sub-Dn.).

(xi) 'D' Sub-Dn.

(2) Overseers.(Rs.80-5-100-8-140-E.B.--10-220-E.B.-10-270.).

1 Sub-Overseer.(Rs.70-3-85-E.B.-4-105--E.B.-5-145).

tracer.....

1 Tracer.(Rs.46-3-85-E.B.-4-105).

1 Computor.(Rs.46-3-85-E.B.-4-105).

1 Peon.(Rs.30-1/2-35).

(xii) Mechanical Sub-Dn. — S.A. C.'s post in the grade of Rs.100-8-140-10-150 should be converted into Sr.Clerk's post in the pay-scale Rs.92-8-140.

1 Tracer.(Rs.46-3-85-E.B.-4-105).

(xiii) Distributory Surveys and Designs Sub-Dn. — 1 Overseer.(Rs.80-5-100-8-140-E.B.-10--220-E.B.-10-270).

1 Computor.(Rs.46-3-85-E.B.-4-105).

1 Peon.(Rs.30-1/2-35).

(xiv) Dharwar Irrgn. Sub-Division. — 1 Computor.(Rs.46-3-85-E.B.-4-105).

1 Jr.Clerk.(Rs.46-3-85-E.B.-4-105).

1 Peon.(Rs.30-1/2-35).

1 Khalasi.(Rs.30-1/2-35).

(xv) Dharwar Irrgn. Sub-Division. — 1 Tracer.(Rs.46-3-85-E.B.-4-105).

2 Karkuns.(Rs.46-3-85).

1 Maistry.(Rs.30-2-50-E.B.-5/2-70).

1 Peon.(Rs.30-1/2-35).

(xvi) Kalghatgi Village Water Supply Sub-Division. — 2 Overseers.(Rs.80-5-100-8-140-E.B.-10--220-E.B.-10-270).

1 Karkun.(Rs.46-3-85).

2 Khalasis.(Rs.30-1/2-35).

(xvii) Sirsi Village Water Supply Sub-Dn. — 2 Overseers.(Rs.80-5-100-8-140-E.B.--10-220-E.B.-10-270).

1 Jr.Clerk.(Rs.46-3-85-E.B.-4-105).

1 Khalasi.(Rs.30-1/2-35).

You are requested to furnish to the A.G.Bombay and to this Deptt. the details of the 46 posts to be retrenched with effect from the 1-11-50. The existing strength of Overseers in the Soil Research Sub-Dn. should be reported immediately with a detail justification for each post.

4. Sanction is hereby accorded to the retention of 3 posts of Overseers out of the posts of overseers from the River Ganging Sub-Dn. which should be closed with effect from 1st Novr. 1950. These three posts should be distributed amongst the Belgaum, Dharwar and Bijapur Dists. (one for each Dist.). You are requested to report very early the names of Sub-Dns. to which these Overseers are proposed to be attached.

5. In the absence of detailed justification your request, amongst others, to retain a post of Computor in each 'A' and 'D' Sub-Dns. of the Ghatprabha Left Bank Canal Dn. can not be granted. In case it is absolutely essential to have a computor's post in each Sub-Dn., you should approach Govt. with convincing justifications supported by statistical data.

6. You should submit detailed and convincing reasons for the retention of the 4 posts of Chowkidars sanctioned for the Hangal Irrign. Sub-Division and 8 posts of Chowkidars sanctioned for the Harabhavi Irrigation Sub-Dn.

7. A statement showing the savings likely to be realised during the current financial year and savings for a full year owing to the retrenchment of the posts mentioned in para 2 of this letter should be submitted very early.

8. You are also requested to furnish a statement, in-duplicate showing the strength of each office, (S.E.'s, Divisional and Sub-Dnl.) after taking into account retrenchment mentioned in para 2 of the letter.

7.1.50

By order of the G. of B.,

Asstt. Secy. to the G. of B.,
P. W. D.

D.A.-Nil.

Copy forwarded to-

the F.D., the A.G., Bombay (thro. the F.D.)
the S.E., S.C.,
the Ex.Engr., Irrgn.Project Dn.(South),
the Ex.Engr., Ghatprabha L.B.C.Dn.,
the Ex.Engr., Dharwar Irrgn.Dn.

D.O.No. G-55

Office of the
Superintending Engineer,
Karnatak Irrigation Circle,
C.V. Dharwar, 9/8 Aug. 1950.

Dear Shri Mathrani,

Your D.O.letter No.7983/33-R-2 dated the 1st August 1950.

2. Statements 'A', 'B' and 'C' showing the requisite information regarding the existing strength of staff and that proposed to be retrenched in the Circle, Divisional and Sub-Divisional offices respectively, are enclosed.

3. My views on the suggestions made by you in regard to the reduction and re-organisation of the existing Sub-Divisional charges in this Circle are given in Appendix I, which is enclosed herewith. Pp 20-23 & 17

4. Statement 'D' showing the number of posts proposed to be retrenched under various categories in this Circle, is also attached, together with a statement of savings as a result of the retrenchment. Pp 26-27

D.A:
as above.

Yours sincerely

Shri. K.P.Mathrani, I.C.S.,
Special Officer (Retrenchment),
Finance Department,
Secretariat, Bombay.

8, C*

with copies of the accompaniments
Copy/forwarded with compliments to the Secretary to Government, Public Works Department, Bombay for information.

Through.

The Chief Engineer & Govt.
P.W.D. Bombay: W.S.

Accountant
Exn. 11/8

P. W. D.
File No. 2499/48(7)
Serial No. 65730

E K T

11-8-50

37

No. G-55.

Office of the Superintending Engineer,
Karnatak Irrigation Circle,
Dharwar, 14/9/ 1950.

To

The Superintending Engineer,
Southern Circle, Belgaum.

In file No. 2499/48(7),
65930
F D.
ce 12.9.50.

Subject:- Retrenchment.

Reference: Government letter No.2499/48(7)-E(II), dated 17-8-1950.

2. Government have called for proposals regarding the distribution of the several River gauging charges after abolition of the River Gauging Sub-Division(Karnatak),Belgaum, in consultation with you.

3. I send herewith a copy of proposed draft reply to Government for your perusal. I hope you agree with the proposals made therein.

4. This may please be treated as very urgent as Government have called for the proposals very early.

Superintending Engineer, K.I.C.

Copy forwarded with compliments to the Secretary to Government,Public Works Department,Bombay, for favour of information.

2499/48(7)/76808 2/60

EB(II)

38

P.W.D.

2499/48(7)
65730

This Deptt. file No. 2499/48(7)
65730
containing the Q.L. Quoted in
has been sent. no. dt. the P.W.D.
on 12.9.50. Its return may
be awaited.

SMS
22.9.50.

Proposals from the
S.E., Karnatak Elctn.
Circle, PW. above
awaited

SMS
3.10.50

S.A.S.

EB(II)
2019

P. W. D.
File No. 2499/48(7)
Serial No. 76808

EB-II

19-9-50

A B S T R A C T S .

		Savings during the current year i.e., from 1st Nov.1950 to 28th Feb.1951. Rs.	Saving for 12 months on the basis of emoluments. Rs.
(a)	Pay of Officer	940/-	2,820/-
(b)	Pay of Establishment	2,103/-	5,544/-
(c)	Allowances --		
	1. Dearness Allowance ...	2,040/-	5,400/-
	2. Travelling allowance ...	700/-	2,100/-
(d)	~~Cooking~~ Establishment Contingencies ...	600/-	1,800/-
	Grand Total	6,383/-	17,664/-
	or say	6,400/-	17,700/-

30/9

Superintending Engineer, K.I.C.

BR/29-9.

Statement showing the Existing and proposed (50-51) River and Rain Gauges in the Districts of Belgaum;Dharwar,Bijapur, Kolhapur & North Kanara.

District	River Gauges		Rain Gauges	
	Existing	Proposed during 1950-51	Existing	Proposed during 1950-51
Belgaum	6	-	15	-
Dharwar	6	1	3	4
Bijapur	9	-	-	-
Kolhapur	5	-	3	-
North Kanara	1	1	23	5
Total.....	27	2	44	9

Superintending Engineer,
Karnatak Irrigation Circle.

RNG.

Name of River Gauge.	Name of Rain Gauge.	District.	Period of observation.	Work charged staff Required.
Existing on 1-9-1950.				
1. Kusnal (River Krishna.)		Belgaum.	Throught the year.	1 Karkoon & 2 Khalasis for 12 months & 2 Khalasis for 3½ months.
2. Asoga (River Malaprabha)		-do-	1st March to November 30th.	1 Karkoon and 1 Khalasi for 9 months.
3. Daddi (River Ghataprabha).		-do-	-do-	1 Karkoon & 1 Khalashi for 9 months & another Khalashi for 3½ months.
4. Basapur (River Markandeya)		-do-	-do-	1 Karkun & 1 Khalashi for 9 months.
5. Rajgoli (River Tamraparni)		-do-	-do-	-do-
6. Kolchi (River Malaprabha).		-do-	1st March to Oct.31st.	-do- for 8 months.
	1. Ugar B.K.	-do-	1st June -do-	Entrusted to River Gauge Karkun at Kusnal.
	2. Asoga	-do-	-do- -do-	-do- at Asoga.
	3. Daddi.	-do-	-do- -do-	-do- at Daddi.
	4. Adkur.	-do-	-do- -do-	1 Rain gauge reader for 5 months.
	5. Kunkumbi.	-do-	-do- -do-	-do-
	6. Jamboti.	-do-	-do- -do-	-do-
	7. Jamgaon	-do-	-do- -do-	1 Rain Gauge Reader & 1 Khalashi for 5 months.
	8. Vaghotra.	-do-	-do- -do-	1 Rain Gauge Reader for 5 months.

9. Patne.	-do-	-do-	-do-
10. Gawali.	-do-	-do-	-do-
11. Chapoli	-do-	-do-	-do- (Khalashi) -do-
12. Anagaon.	-do-	-do-	-do-
13. Gunji.	-do-	-do-	1 Rain Gauge reader for 5 months.
14. Londha	-do-	-do-	-do-
15. Kukenhatti.	-do-	-do-	-do-

Proposed in 1950-51 : Nil.

Existing on 1-9-1950.

1. Harihar (R.Tungabhadra).	Dharwar.	Throught the year.	1 Karkun & two Khalashis for 12 months & 1 for 4 months.
2. Havnoor (-do-)	-do-	-do-	1 Karkoon & 2 Khalashis for 12 months & 1 " for 4 months.
3. Hallur (-do-)	-do-	-do-	1 Karkoon -do-
4. Hesrur (-do-	-do-	-do-	1 Karkun & 2 Khalashis for 12 months.
5. Kunminhalli (River Vardha).	-do-	1st Mar.to 31st Oct.	1 Karkun & 1 Khalashi for 8 months.
6. Laxmipur (River Dharma).	-do-	Throughout the year.	1 Karkun & 1 Khalashi for 12 months.

Proposed during 1950-51

1. Honkan (River Vardha)	-do-	-do-	Nil.

Existing on 1-9-1950.

1. Laxmipur.	-do-	1st June to Oct.31st.	Entrusted to River Gauge Karkun at Laxmipur.
2. Bammigetti.	-do-	-do-	1 Rain Gauge reader for 5 months.

3. Rampur.	Dharwar.	1st June to 31st Oct.	1 Rain gauge reader for 5 months.
Proposed during 1950-51.			
1. Hankan	-do-		
2. Kunminhalli.	-do-		
3. Havasbhavi.-	-do-		
4. Hedigod.	-do-		
Existing on 1-9-1950.			
1. Chimulgi (R.Krishna).	Bijapur.	Throughout the year.	1 Karkun & 2 Khalashis for 12 months & 1 Khalashi for 4 months.
2. Devangaon (R.Don.)	-do-	Throughout the year.	-do-
3. Rampur (R.Don).	-do-	1st Mar.to Oct.31st.	1 Karkun & 1 Khalashi for 8 months.
4. Honganhalli (R.Don).	-do-	-do-	-do-
5. Katkanhalli (R.Don).	-do-	-do-	-do-
6. M.Sanagam (R.Ghataprabha).	-do-	-do-	-do-
7. Anagwadi (R. -do-).	-do-	-do-	-do-
8. Shivyogmandir (R.Malaprabha)	-do-	-do-	-do-
9. Hiresangam (R.Malaprabha).	-do-	-do-	-do-
Proposed in 1950-51 :- Nil.			
1. Ajra (R.Hiranyakeshi).	Kolhapur.	1st Mar.to Nov.30th.	1 Karkun & 1 Khalashi for 9 months.
2. Ghatkaiwadi (do).	-do-	-do-	-do-

3. Kolhapur (R.Panchaganga).	Kolhapur.	1st June to Dec.31st.	1 Karkun & 1 Khalashi for 7 months & 1 Khalashi for 3 ½ months.
4. Kagal (R.Dhudhaganga).	-do-	-do-	-do-
5. Murgod (R.Vedaganga).	-do-	-do-	-do-
1. Ajra.	-do-	1st June to Oct.31st.	Entrusted to River Gauge Karkun at Ajra.
2. Gawase.	-do-	-do-	1 Rain gauge reader for 5 months.
3. Nangertas.	-do-	-do-	-do-

Proposed ~~x~~ in 1950-51:- Nil.

Existing on 1-9-1950.

1. Banawasi (River Vardha)	North Kanara	Throughout the year	1 Karkun & 1 Khalashi for 12 months & 1 Khalashi for 5 months

Proposed in 1950-51.

1. Solia (R.Kalanadi).	-do-	-do-	

Existing on 1-9-1950.

1. Banawasi.	-do-	1st June to Oct.31st.	Entrusted to River gauge Karkun at Banawasi.
2. Jugalbet.	-do-	-do-	1 Rain gauge reader for 5 months.
3. Chandwadi.	-do-	-do-	-do-
4. Castle Rock	-do-	-do-	-do-

5. Hulgod.	North Kanara.	1st June to Oct.31st.	1 Rain gauge reader for 5 months.
6. Targod.	-do-	-do-	-do-
7. Kirwatti.	-do-	-do-	-do-
8. Dhodkop.	-do-	-do-	-do-
9. Karoor.	-do-	-do-	-do-
10. Tyagali.	-do-	-do-	-do-
11. Nilkund.	-do-	-do-	-do-
12. Attangi.	-do-	-do-	-do-
13. Kalasai.	-do-	-do-	-do-
14. Kalpa.	-do-	-do-	-do-
15. Kumbharwada	-do-	-do-	-do-
16. Bhagwati.	-do-	-do-	-do-
17. Acketidudageli.	-do-	-do-	-do-
18. Solia.	-do-	-do-	-do-
19. Pali.	-do-	-do-	-do-
20. Kheda.	-do-	-do-	-do-
21. Mugwali.	-do-	-do-	-do-
22. Kundal.	-do-	-do-	-do-
23. Gunol.	-do-	-do-	-do-

Proposed in 1950-51.

1. Shivagaon.	North Kanara.
2. Barur	-do-
3. Habatti.	-do-
4. Kadkol	-do-
5. Manchikeri (From the estimate of 1948-49).	-do-

15

Superintending Engineer,
Karnatak Irrigation Circle.

+ 75

53

Letter.
No. G-55

Office of the Superintending Engi
Karnatak Irrigation Circle,
Dharwar, 2/10/~~Sept~~.1950.

To

The Secretary to Government,
Public Works Department,
Bombay-1.

Subject: Retrenchment:
Closure of the River Gauging Sub-Division, Belgaum.

× P-35

Reference: Government letter P.W.D.No.2499/48(7)-E(II) dated the 17th August 1950.

2. The number of Rain and River Gauge Stations existing in the River Gauging Sub-Division (Karnatak) Belgaum on 1st September 1950 and also the additional ones proposed to be provided during the current year are detailed in the accompanying statement and are tabulated below for ready reference by Districts:-

Name of District.	River Gauges		Rain Gauges.	
	Existing	Proposed during 1950-51	Existing	Proposed during 1950-51.
1	2	3	4	5
1. Belgaum	6	-	15	-
2. Dharwar	6	1	3	4
3. Bijapur	9	-	-	-
4. Kolhapur	5	-	3	-
5. North Kanara	1	1	23	5
Total:	27	2	44	9

3. In view of the financial stringency, it is proposed to close down the above Sub-Division, as a trial with effect from 1st November 1950 when the work of observing rainfall at different Rain and River Gauge Stations in the Sub-Division will practically cease. As, however, the data to be collected from these Rain and River Gauge Stations is very valuable and important, the work cannot be closed down. Special attention is also necessary to see that the data is carefully collected. It is, therefore, proposed to entrust the work to the existing normal P.W.D.Sub-Divisions in whose jurisdictions the stations are situated, the compilation of the data so collected being made in the respective Divisional Offices.

4. From the figures given in para 2 above, it may be seen that there is substantial number of River Gauging Stations in the Belgaum, Dharwar and Bijapur Districts requiring constant supervision by technical subordinates. It is, therefore, proposed that the three posts of temporary overseers sanctioned for this Sub-Division may be distributed by transferring one overseer to each of the Belgaum, Dharwar and Bijapur Divisions, no special overseers being necessary in the case of the remaining 2 Districts, viz. Kolhapur and North Kanara as the number of River Gauging Stations therein is comparatively small. All Rain Gauges

and River Gauges in the Kolhapur and North Kanara Districts will therefore be looked after by the respective P.W.D. Sectional Overseers. The effect of this on the quality of work may be reviewed after one year.

5. Proposals regarding retrenchment of temporary staff sanctioned for this Sub-Division are as under :-

Sanctioned Posts.	No.	Remarks.
1. Deputy Engineer.	1	Post to be retrenched.
2. Overseers.	3	To be continued and transferred to each of Belgaum, Dharwar Irrigation and Bijapur Divisions.
3. Tracer.	1	Post to be retrenched.
4. Computor.	1	-do-
5. Senior Clerk.	1	-do-
6. Junior Clerks.	2	One post already retrenched by the Supdg.Engr.,D.I.C., with effect from 1-8-1950. The other post may also be retrenched now.
7. Peons.	3	Posts to be retrenched.
8. Khalasis.	2	One post already retrenched by the Supdg.Engr.,D.I.C., with effect from 1-8-1950. The other post may also be retrenched.

6. A statement showing the savings caused on account of the above proposals during the current year as also those effected annually is submitted herewith.

7. As the Sub-Division is proposed to be closed with effect from 1st November 1950 one month's notice of dischar will be issued on 1st October 1950 to the temporary subord nates whose services are proposed to be retrenched as sh in para 5 above.

8. The Superintending Engineer, Southern Circle, Belgaum who was consulted in the matter, has agreed to the above proposal.

9. Early Government orders are requested.

D.A.: 2 statements.

Superintending Engineer, K.I.C.

Through:

The Chief Engineer to the Government of Bombay, Public Works Department, Bombay, with compliments.

Copies with copies of the accompaniments forwarded with compliments to the Superintending Engineer, Southern Circle, Belgaum with reference to his No.G-55/1, dated the 27th September 1950.

Copies with copies of accompaniments forwarded with compliments to -

The Executive Engineer, Irrigation Projects Dn.(South), Dharwar, with reference to his letter No.G-55, dated 1st September 1950.
The Executive Engineer, Belgaum Division,
The Executive Engineer, Dharwar Irrigation Division,
The Executive Engineer, Bijapur Division,
The Executive Engineer, Kanara Division,
The Executive Engineer, Kolhapur Division,
The Executive Engineer, Dharwar Division.

81661

[illegible]

[illegible]

[illegible]

57

Confidential.
No.G-55

Office of the Superintending Engineer,
Karnatak Irrigation Circle,
Dharwar, 7 Octr. 1950.

To

The Secretary to Government,
Public Works Department,
Bombay-1.

Subject: Retrenchment.

Reference: Letter No.7983/33-R-2(Confidential) dated the 23rd September 1950 from the officer on Special Duty (Retrenchment), Bombay.

2. The tentative list of posts proposed to be retrenched in this Circle by the Officer on Special Duty is found to be far in excess of that proposed in my D.O. letter No.G-55 dated 9-9-1950 to that Officer and copy to Government. In fact, what I had proposed therein was the maximum possible reduction which could be envisaged without sacrificing efficiency and progress on works to a great extent. The further un-anticipated reduction in staff proposed by the Special Officer will, I am afraid, have definite set-back on progress of the Grow-More-Food Programme of Minor Irrigation Works in the Dharwar Irrigation Division and the important construction work of the Ghataprabha Left Bank Canal. I may, therefore, be permitted to bring to the notice of Government that the retrenchment already proposed by me, was almost the limit and not susceptible of further reduction. I therefore request, with all the emphasis at my command, that the following additional temporary posts which have been proposed for being retrenched by the Special Officer, over and above those proposed by me, are absolutely essential in the interest of work and may kindly be allowed to be continued. There are certain features in the case of special offices for investigation and construction of major schemes which cannot be measured by the normal yardstick applicable to the routine running offices and the following proposals have to be considered in that context:-

(1) Circle Office: 1 Overseer: The 3 Overseers for this Circle office are absolutely necessary as explained below and this is not susceptible of reduction as proposed by the Officer on Special Duty:-

1 Overseer to deal with the technical correspondence and detailed plans and estimates of masonry works (Aqueducts, culverts etc.) in connection with the Ghataprabha Left Bank Canal. The No.of detailed plans and estimates is large for which at least one overseer is exclusively necessary.

1 Overseer to deal with the plans and estimates and correspondence in connection with the Minor Irrigation Tank works under the Special One-Crore Loan Programme which are required to be disposed of with the utmost speed and also

technical....

technical correspondence regarding V.W.S.works.

1 Overseer for other major Irrigation Projects such as Ajra, Hadalga Dams, Yemgalli Reservoir etc.which also are of important nature.

(2) Irrigation Projects Division(South).

1 Computor:

As this is a project Division entrusted with the preparation of designs and plans and estimates of large Irrigation Dams like Ajra, Hadalga costing crores of rupees, two computors are absolutely necessary for checking the calculations etc.in order to get the projects ready within the specified time.

(3) Ghataprabha Left Bank Canal Division.

1 Overseer:

Four overseers are intended for the Designs Branch recently sanctioned by Government in order to get ready within the specified time, the detailed designs and Plans and estimates for the several works on the Ghataprabha Left Bank Canal and two overseers are necessary for correspondence regarding technical matters that arise from day to day in construction, technical check of measurements, machinery and special articles of Tools and Plant, progress reports &c., in the Divisional Office. The reduction of two overseers as proposed is bound to handicap the progress of work and ultimate loss to Government in not getting the designs ready for construction in time. The total strength of six overseers is thus absolutely necessary in the Divisi nal office.

1 Sr.Accounts Clerk.
1 Senior Clerk
1 Junior Clerk.

Being a heavy construction Division with six Sub-Divisions and the no.of contractors' bills being extraordinarily large on account of fortnightly and weekly payments to numerous pieceworkers, the volume of accounts work and correspondence in connection therewith is naturally heavy and to cope with that work additional staff of one Sr.Accounts Clerk, one Senior Clerk and one Junior Clerk is absolutely necessary as

otherwise...

otherwise there will be delays in payments resulting in handicap to the progress of work. In fact in addition to the present account staff an additional Accountant is necessary and arrears are piling up and the Accountant General has drawn my special attention to this. I am afraid any reduction in the Ghataprabha Left Bank Canal Division will bring the matters to a crisis and possibly a breakdown.

1 Assistant Storekeeper:

This Division has to deal with stores and machinery spare parts etc. costing ~~lakk~~ lakhs of rupees and in order to keep a proper control over the transactions, an Assistant Store-Keeper is absolutely necessary to help the Store-keeper as it is physically impossible for one man to attend to the multifarious and voluminous work involved in maintaining the stores and their accounts properly

1 Computor.

One additional computor is necessarily required for the designs branch in the Divisional Office in order to cope with the checking of mathematical calculations &c. in order to get the estimates ready in time.

(4) Dharwar Irrigation Division. Additional staff will be necessary as the Minor Irrigation works gain momentum during working season and proposals will be sent in due course.

(5) A, B, C & D Sub-Dns. in the Ghataprabha Left Bank Canal Dn. . . .

1 Computor in each of these 4 Sub-Divisions:

These are heavy construction Sub-Divisions in the Ghataprabha Left Bank Canal Division and a computor is absolutely essential for checking calculations &c. in each of these Sub-Divisions in as much as the clerical strength is only 3 against the standard unit of 4 fixed for a heavy Sub-Division. Employing a computor is more economical than employing a clerk.

(6) Designs & Distributaries Sub-Dn. in the Ghataprabha Left Bank Canal Dn. 1

1 Overseer:

As designs of distributaries and works thereon have to be prepared after carrying out field surveys and contouring work of the whole of the Ghataprabha Valley, the strength of 5 overseers is absolutely essential if the designs are to be kept ready.....

ready for construction in time. One overseer as proposed to make up the required strength may, therefore, be allowed to continue.

7) Dharwar Irrigation Project Sub-Divn.in Dharwar Irr.Divn.

1 Computor:

This is a Sub-Division entrusted mainly with the preparation of plans and estimates for Minor Irrigation tanks under loan programme for which contributions for a number of works are being promised by the villagers. Working season has now started. It is, therefore, absolutely essential to get the plans and estimates ready for construction immediately. The services of a computor in checking the calculations etc.are urgently and necessarily required for this purpose and the post may please, therefore be allowed to be continued.

(8) Kalghatgi Village Water Supply Sub-Dn.in Dharwar Irrigation Division.

2 Overseers:
2 Khalasis:

These Sub-Divisions are looking after the V.W.S.works.* The Minor Irrigation works from the loan programme are also entrusted now to them in addition. In order to cope with the increased activities of the Sub-Divisions, the services of 2 overseers and their 2 khalasis in Kalghatgi Village Water Supply Sub-Division and that of 1 overseer and his 1 khalasi in the Sirsi V.W.S.Sub-Dn. are indispensible. If the posts are retrenched, it will adversely affect the progress on urgent works and it is, therefore, requested that the posts may please be continued.

* and normal M.I. works from Budget grants.

(9) Sirsi V.W.S. Sub-Division in Dharwar Irrigation Division:

1 Overseer:
1 Khalasi.

3. A statement showing how these compare with the original proposals of this office and those of the Officer on Special Duty is enclosed.

4. In view of the important works entrusted to this Circle and their nature, unlike those in the normal Circles, the urgent necessity of the above additional staff would hardly need re-emphasis and I would urge that Government may in your concurrence be kindly moved to approve of my proposal. Government has allotted large funds for these Grow-More-Food works and it would be unfair to expect the officers to show substantial progress on them without even the minimum of technical and clerical assistance necessary.

Enclosures:
1 Statement.

Superintending Engineer, K.I.C.

Through: The Chief Engineer, P.W.D., Bombay, with compliments.

S-F '61

Statement referred to in para 3 of Superintending Engineer, Karnatak Irrigation Circle, Dharwar's letter No.G-55, dated 10-1950.

Name of office & post	Posts proposed for retrenchment as originally by this Office	Posts proposed to be retrenched by the Officer on Spl.Duty.	Posts which could not be retrenched with some loss of efficiency.	Posts which are essential & cannot be retrenched.	Remarks
1	2	3	4	5	6
Superintending Engineer's Office					
Overseers	-	1	-	1	
*Senior Accounts Clerk	-	1	1	-	*Downgrading to Senior Clerk
Peon	-	1	1	-	
Irrigation Projects Division(South)					
Senior Clerk	-	1	1	-	
Junior Clerks	3	3	3	-	
Draftsman	1	1	1	-	
Computor	-	1	-	1	
Ghataprabha Left Bank Canal Divn.					
Overseers	1	2	1	1	
Senior Accounts clerk	-	1	-	1	
Senior Clerk	-	1	-	1	
Junior Clerks	1	2	1	1	
Asstt. Store Keeper	-	1	-	1	
Computor	-	1	-	1	
Peon	-	1	1	-	
Dharwar Irrigation Division.					
Senior clerks	-	2	2	-	
Junior Clerks	3	3	3	-	
Tracer	1	1	1	-	
Peon	-	1	1	-	
Ghataprabha Right Bank Canal Sub-Dn.					
Overseers	-	1	1	-	
Sub-Overseers	1	1	1	-	
Peon	1	1	1	-	
C.O.....	12	28	20	8	

1	2	3	4	5	6
B.O.	12	28	20	8	
Reconnaissance Irrigation Projects Sub-Dn.					
Overseers	1	1	1	-	
Computor	1	1	1	-	
Peon	2	2	2	-	
Soil Research Sub-Division.					
Surveyors	1	1	1	-	
Tracers	1	1	1	-	
Computors	1	2	2	-	
Junior Clerks	1	1	1	-	
Peons	1	1	1	-	
River Gauging Sub-Division.					
Tracers	1	1	1	-	
Computors	1	1	1	-	
Senior Clerks	1	1	1	-	
Junior Clerks	2	2	2	-	
Peons	3	3	3	-	
Khalasis	2	2	2	-	
'A' Sub-Dn. in Ghataprabha Left Bank Canal Division.					
Senior Accounts Clerks	-	1	1	-	
Computor	-	1	-	1	
Tracer	1	1	1	-	
Peon	1	1	1	-	
'B' & 'C' Sub-Dns.					
Tracers	2	2	2	-	
Peons	2	2	2	-	
Computors	-	2	-	2	
'D' Sub-Division					
Overseers	-	1	1	-	
Sub-overseers	1	1	1	-	
Tracers	1	1	1	-	
Computors	-	1	-	1	
Peons	1	1	1	-	
Mechanical Sub-Dn.					
Senior Accounts Clerk	-	1	1	-	
D & D Sub-Dn.					
Overseers	-	1	-	1	
Computors	1	1	1	-	
Peons	1	1	1	-	
C.O....	42	67	54	13	

1	2	3	4	5	6
B.O.	42	67	54	13	
Dharwar Irrigation Projects Sub-Dn.					
Computors	-	1	-	1	
Junior Clerk	1	1	1	-	
Peons	1	1	1	-	
Khalasi	1	1	1	-	
Dharwar Irrigation Sub-Division					
Tracer	1	1	1	-	
Karkoons	2	2	2	-	
Maistry	1	1	1	-	
Peons	1	1	1	-	
Kalghatgi Village Water Supply Sub-Dn.					
Overseers	-	2	-	2	
Karkoons	1	1	1	-	
Khalasis	-	2	-	2	
Sirsi Village Water Supply Sub-Division.					
Overseers	-	1	-	1	
Junior Clerk	1	1	1	-	
Khalasi	-	1	-	1	
Total.....	52	84	64	20	

Superintending Engineer,
Karnatak Irrigation Circle.

RNG.

10.10.44

2499/48(F)
82924

95 35

Confidential.
No. G-38

Office of the Superintending Engineer,
Karnatak Irrigation Circle,
Dharwar, 17th Octr.1950.

To

The Secretary to Government,
Public Works Department,
Bombay-1.

Subject: **R e t r e n c h m e n t.**

× File No 2499/48(7) containing the letter being submitted separately.

Reference: Government Express Letter No,2499/48(7)-E(II) dated the 3rd October 1950.

Government is contemplating retrenchment of four posts of Deputy Engineers in this Circle. Although I agree to the abolition of the post of P.A.to the Executive Engineer, Irrigation Project Division(South) and the Deputy Engineer, River Gauging Sub-Division as a measure of retrenchment, I may be permitted to bring to the notice of Government that it would not be in the interest of Government works to retrench~~ment~~ at this stage, the other two posts viz. P.A.to Executive Engineer, Ghataprabha Left Bank Canal Division and second Deputy Engineer attached to this office.

2. There are as many as four heavy construction Sub-Divisions, 1 Designs and Distributary Sub-Division, 1 Mechanical Sub-Division and 1 Designs Branch equivalent to a Sub-Divisional charge attached to the Divisional office under the control of the Executive Engineer, Ghataprabha Left Bank Canal Division. The construction work in the four Sub-Divisions is in full swing with a view to complete it within the target date. The designs and plans and estimates of numerous masonry works and canal distributaries have to be prepared and finalised in the Divisional office for being kept ready for construction. The Executive Engineer has also to devote most of his time on works for having close supervision and guidance to the subordinates with the result that he gets very little time to look to the office work and other technical matters involving thorough study and scrutiny of the designs and plans. If he is deprived of a P.A., I am afraid, it will not be physically possible for him to manage the big organisation already set up and to attend to the office work in addition. This is sure to adversely affect the progress of work both qualitatively and quantitatively, not to speak of the damage that may result to important aspects in designs of works,

3. This office has to deal with a great deal of technical matters and several projects costing lakhs and some to crores of rupees each. In normal Circles, work consists of ordinary and special repairs to buildings and roads etc. though there is a sprinkling of original works but normally much smaller in amounts than in this Circle. Ordinary staff such as Draftsman and overseers are not competent to deal with major irrigation projects for which only qualified and experienced Deputy Engineers are necessary to avoid mistakes in designing which may lead Government to loss extending to lakhs of rupees as against a few thousands on account of their pay etc. The technical work in this office has, of late, considerably increased due to the Minor Irrigation works, both ordinary and under the loan programme having since been added to this Circle, and now by the transfer of the Koyna Irrigation Project which in itself involves enormous technical work, the necessity of the second Deputy Engineer in this office hardly needs any further re-emphasis. To produce efficient

designs...

designs which needs a thorough study of the problems, the undivided attention of a Deputy Engineer in this office is absolutely essential.

4. I would, therefore, request that Government may, in your concurrence, be kindly moved to allow continuance of the above two posts of Deputy Engineers, viz. P.4. to the Executive Engineer, Ghataprabha Left Bank Canal Division and second Deputy Engineer attached to the Circle office. I may assure that proposals for retrenching these posts will be submitted to Government no sooner their necessity ceases.

5. A statement showing the detailed information as called for in para 2 of the Government letter is enclosed herewith. It will kindly be seen that only one Deputy Engineer will be available for transfer from this Circle if my proposal in para 4 above is approved by Government.

Superintending Engineer, K.I.C.

Through:

The Chief Engineer to the Government of Bombay, Public Works Department, Bombay with compliments.

P. W. D.
File No. 2499/48(7) C.
Serial No. 86154

19/10

2499/48(7)/
89785.

Letter. 67

No.2499/48(7)-E(II)...

Public Works Department,
Bombay Castle (Bombay No.1),
7th November 1950.

To

The S.E., K.I.C.

Sub:- Retrenchment.

....

Ref: Corres. resting with your letter No.G.38, dt. the 17-10-50.

2. Against 64 posts proposed to be retrenched by you, vide column 4 of the statt. accompanying your letter No.G.55, dt. the 7-10-50, the following 67 posts are required to be retrenched with effect from 1-12-50. These posts include those posts which have been retrenched with effect from 1-11-50.

(i)	Circle Office.	1 Dy. Engr. (Rs.220-15-400-E.B.-20-500-E.B.-E.B.-25-650).
		1 post of S.A.C. (Rs.100-8-140-10-150) should be down graded to that of a Sr. Clerk's post (Rs.92-8-140).
		1 Peon. (Rs.30-1/2-35).
(ii)	Irrign. Projects Dn.(South).	1 Dy. Engr. (Rs.220-15-400-E.B.-20-500-E.B.-25-650).
		1 Sr. Clerk (Rs.92-8-140).
		Jr. Clerks (Rs.46-3-85-E.B.-4-105)
		D'man (Rs.100-4-120-5-170 or Rs.110-10-180 for D.C.Es.)
(iii)	Gh.L.B.C.Dn.	1 Overseer (Rs.80-5-100-8-140-E.B.-10-220-E.B.-10-270).
		1 Jr. Clerk (Rs.46-3-85-E.B.-4-105).
		1 Peon(Rs. 30-1/2-35).
(iv)	Dharwar Irrign. Dn.	2 Sr. Clerks (Rs.92-8-140).
		3 Jr. Clerks (Rs.46-3-85-E.B.-4-105)
		1 Tracer (Rs.46-3-85-E.B.-4-105).
		1 Peon (Rs.30-1/2-35).
(v)	Irrign. Projects Dn.(South). Gh. R.B.C. Sub-Division.	1 Overseer (Rs.80-5-100-8-140-E.B.-10-220-E.B.-10-270).
		1 Sub-Overseer (Rs.70-3-85-E.B.-4-105-E.B.-5-145).
		1 Peon (Rs.30-1/2-35).

(vi). .....

(vi)	Reconnaissance Irrign. Projects Sub-Dn.	1 Overseer (Rs.80-5-100-8-140-E.B.-220-E.B.-10-270).
		1 Computor (Rs.46-3-85-E.B.-4-105).
		2 Peons (Rs.30-1/2-35).
(vii)	Soil Research Sub-dn.	1 Surveyor (Rs.80-5-100-8-140-E.B.-10-220-E.B.-10-270).
		1 Tracer (Rs.46-3-85-E.B.-4-105).
		2 Computors (Rs.46-3-85-E.B.-4-105).
		1 Jr. Clerk (Rs.46-3-85-E.B.-4-105).
		1 Peon (Rs.30-1/2-35).
(viii)	River Gauging Sub-Dn.	1 Dy. Engr. (Rs.220-15-400-E.B.-20-500-E.B.-25-650).
		1 Sr. Clerk (Rs.92-8-140).
		2 Jr. Clerks (Rs.46-3-85-E.B.-4-105).
		1 Tracer (Rs.46-3-85-E.B.-4-105).
		1 Computor (Rs.46-3-85-E.B.-4-105).
		3 Peons (Rs.30-1/2-35).
		2 Khalasis (Rs.30-1/2-35).
(ix)	Gh. L.B.C.Dn. 'A' Sub-Dn.	1 S.A.C. (Rs.100-8-140-10-150).
		1 Tracer (Rs.46-3-85-E.B.-4-105).
		1 Peon (Rs.30-1/2-35).
(x)	'B' and 'C' Sub-Dns.	2 Tracers (Rs.46-3-85-E.B.-4-105). (One from each Sub-Dn).
		2 Peons (Rs.30-1/2-35). (One from each Sub-Dn.)
(xi)	'D' Sub-Dn.	1 Overseer (Rs.80-5-100-8-140-E.B.-10-220-E.B.-10-270).
		1 Sub-Overseer (Rs.70-3-85-E.B.-4-105-E.B.-5-145).
		1 Tracer (Rs.46-3-85-E.B.-4-105).
		1 Peon (Rs.30-1/2-35).
(xii)	Mechl. Sub.Dn.	1 S.A.C. (Rs.100-8-140-10-150).
(xiii)	Distributary Surveys and Designs Sub-Dn.	1 Computor (Rs.46-3-85-E.B.-4-105).
		1 Peon (Rs.30-1/2-35).
(xiv)	Dharwar Irrign. Dn.	1 Jr. Clerk (Rs.46-3-85-E.B.-4-105).
	Dharwar Irrign. Project Sub-Dn.	1 Peon (Rs.30-1/2-35).
		1 Khalasi (Rs.30-1/2-35).
(xv)	Dharwar Irrign. Sub-Dn.	1 Tracer (Rs.46-3-85-E.B.-4-105).
		2 Karkoons (Rs.46-3-85).
		1 Maistry (Rs.30-2-50-E.B.-5/2-70).
		1 Peon (Rs.30-1/2-35).

(xvi) .....

2499/48(7)/89785

(xvi)	Kalghatgi Village Water Supply Sub-Dn.	1 Karkoon (Rs.46-3-85)
(xvii)	Sirsi V.W.S. Sub-Dn.	1 Jr. Clerk (Rs.46-3-85-E.B.-4-105).

3. You are requested to furnish to the A.G., Bombay, and to this Deptt. the details of the 67 posts reqd. to be retrenched.

4. Sanction is hereby accorded to the retention of 3 posts of Overseers upto the 28-2-51, in the first instance, out of the posts of Overseers in the River Gauging Sub-Dn. which has been closed with effect from 1-11-50. These three posts should be distributed amongst the Belgaum, Bijapur and Dharwar Irrigation Dns. You are requested to report very early the names of Sub-Dns. to which these posts of Overseers are proposed to be attached.

5. You are requested to submit at an early date a statt. showing the savings likely to be realised during the current financial year owing the retrenchment carried out at various stages. ~~should be submitted at an early date.~~

6. You are also requested to furnish a statt. in duplicate, showing the strength of each office, (S.E.'s Dnl. and Sub-Dnl.), after taking into account the retrenchment mentioned in para. 2 of the letter.

7. (Please type para 6 on p. 57 ante.)

By order, etc.

A.S. to Govt.,
P.W.D.

D.A.-Nil.

Copy forwarded to -

the F.D.,
the O.S.D.(R),
the A.G., Bombay (through the F.D.),
the S.E., S.C.,
the Ex. Engr., Irrign. Projects Dn.(South),
-do- Gh. L.B.Canal Dn.,
-do- Dharwar Irrign. Dn.,
-do- Belgaum Dn.,
-do- Bijapur Dn.,

for information.

2
BAK
2/11/50.

(3 pages)
245 Ta 7/xi

Orders issued as per G.L. No. 2499/48(7)-E(II), dt. the 19.1.51

Letter.

No.2499/48(7)-E(II)

Public Works Department,
Bombay Castle (Bombay No. 1),
7th November 1950.

To

The Superintending Engineer, Karnatak Irrigation Circle.

Subject:-Retrenchment.

Reference: Correspondence resting with your letter No.G.38, dated the 17th October 1950.

2. Against 64 posts proposed to be retrenched by you, vide column 4 of the statement accompanying your letter No.G.55, dated the 7th October 1950, the following 67 posts are required to be retrenched with effect from 1st December 1950. These posts are inclusive of the posts which have been retrenched with effect from 1st November 1950.

(i) Circle Office.	1 Deputy Engineer (Rs.200-15-400-E.B.-20-500-E.B.-E.B.-25-650).
	1 post of Senior Accounts Clerk (Rs.100-8-140-10-150) should be downgraded to that of a Senior Clerk's post (Rs.92-8-140).
	1 Peon. (Rs.30-1/2-35).
(ii) Irrigation Projects Division(South).	1 Deputy Engineer (Rs.220-15-400-E.B.-20-500-E.B.-25-650).
	1 Senior Clerk (Rs.92-8-140).
	3 Junior Clerks (Rs.46-3-85-E.B.-4-105).
	1 Draftsman (Rs.100-4-120-5-170 or Rs.110-10-180 for D.C.Es.)
(iii) Ghataprabha Left Bank Canal Division.	1 Overseer (Rs.80-5-100-8-140-E.B.-10-220-E.B.-10-270).
	1 Junior Clerk (Rs.46-3-85-E.B.-4-105).
	1 Peon (Rs.30-1/2-35).
(iv) Dharwar Irrigation Division.	2 Senior Clerks (Rs.92-8-140).
	3 Junior Clerks (Rs.46-3-85-E.B.-4-105).
	1 Tracer (Rs.46-3-85-E.B.-4-105).
	1 Peon (Rs.30-1/2-35).
(v) Irrigation Projects Division (South). Ghataprabha Right Bank Canal Sub-Division.	1 Overseer (Rs.80-5-100-8-140-E.B.-10-220-E.B.-10-270).
	1 Sub-Overseer (Rs.70-3-85-E.B.-4-105-E.B.-5-145).
	Peon (Rs.30-1/2-35).

(vi).....

(vi)	Reconnaissance Irrigation Projects Sub-Division.	1 Overseer (Rs.80-5-100-8-140-E.B.-220-E.B.-10-270). 1 Computor (Rs.46-3-85-E.B.-4-105). 2 Peons (Rs.30-1/2-35).
(vii)	Soil Research Sub-Division.	1 Surveyor (Rs.80-5-100-8-140-E.B.-10-220-E.B.-10-270). 1 Tracer (Rs.46-3-85-E.B.-4-105). 2 Computors (Rs.46-3-85-E.B.-4-105). 1 Junior Clerk (Rs.46-3-85-E.B.-4-105). 1 Peon (Rs.30-1/2-35).
(viii)	River Gauging Sub-Division.	1 Deputy Engineer (Rs.220-15-400-E.B.-20-500-E.B.-25-650). 1 Senior Clerk (Rs.92-8-140). 2 Junior Clerks (Rs.46-3-85-E.B.-4-105). 1 Tracer (Rs.46-3-85-E.B.-4-105). 1 Computor (Rs.46-3-85-E.B.-4-105) 3 Peons (Rs.30-1/2-35). 2 Khalasis (Rs.30-1/2-35).
(ix)	Ghataprabha Left Bank Canal Division. 'A' Sub-Division.	1 Senior Accounts Clerk (Rs.100-8-140-10-150). 1 Tracer (Rs.46-3-85-E.B.-4-105). 1 Peon (Rs.30-1/2-35).
(x)	'B' and 'C' Sub-Divisions.	2 Tracers (Rs.46-3-85-E.B.-4-105). (one from each Sub-Division). 2 Peons (Rs.30-1/2-35). (one from each Sub-Division).
(xi)	'D' Sub-Division.	1 Overseer (Rs.80-5-100-8-140-E.B.-10-220-E.B.-10-270). 1 Sub-Overseer (Rs.70-3-85-E.B.-4-105-E.B.-5-145). 1 Tracer (Rs.46-3-85-E.B.-4-105). 1 Peon (Rs.30-1/2-35).
(xii)	Mechanical Sub-Division.	1 Senior Accounts Clerk (Rs.100-8-140-10-150).
xiii)	Distributary Surveys and Designs Sub-Division.	1 Computor (Rs.46-3-85-E.B.-4-105). 1 Peon (Rs.30-1/2-35).
(xiv)	Dharwar Irrigation Division. Dharwar Irrigation Project Sub-Division.	1 Junior Clerk (Rs.46-3-85-E.B.-4-105). 1 Peon (Rs.30-1/2-35). 1 Khalasi (Rs.30-1/2-35).
(xv)	Dharwar Irrigation Sub-Division.	1 Tracer (Rs.46-3-85-E.B.-4-105). 2 Karkoons (Rs.46-3-85). 1 Maistry (Rs.30-2-50-E.B.-5/2-70) 1 Peon (Rs.30-1/2-35).

(xvi)...

(xvi) Kalghatgi Village Water Supply Sub-Division. — 1 Karkoon (Rs.46-3-85).

(xvii) Sirsi Village Water Supply Sub-Division. — 1 Junior Clerk (Rs.46-3-85-E.B.-4-105).

3. You are requested to furnish to the Accountant General, Bombay, and to this Department the details of the 67 posts required to be retrenched.

4. Sanction is hereby accorded to the retention of 3 posts of Overseers upto the 28th February 1951, in the first instance, cut of the posts of Overseers in the River Gauging Sub-Division which has been closed with effect from 1st November 1950. These three posts should be distributed amongst the Belgaum, Bijapur and Dharwar Irrigation Divisions. You are requested to report very early the names of Sub-Divisions to which these posts of Overseers are proposed to be attached.

5. You are requested to submit at an early date a statement showing the savings likely to be realised during the current financial year owing the retrenchment carried out at various stages.

6. You are also requested to furnish a statement in duplicate, showing the strength of each office (Superintending Engineer's, Divisional and Sub-Divisional), after taking into account the retrenchment mentioned in paragraph 2 of the letter.

7. You should submit detailed and convincing reasons for the retention of the 4 posts of Chowkidars sanctioned for the Hangal Irrigation Sub-Division and 2 posts of Chowkidars sanctioned for the Havasbhavi Irrigation Sub-division.

By order of the Governor of Bombay,

D. N. Daruwala,
Assistant Secretary to the Government of Bombay,
Public Works Department.

D.A:-Nil.

Copy forwarded to -,

the Finance Department,
the Officer on Special Duty (Retrenchment),
the Accountant General, Bombay (through the Finance Department),
the Superintending Engineer, Southern Circle,
the Executive Engineer, Irrigation Projects Division (South),
the Executive Engineer, Ghataprabha Left Bank Canal Division,
the Executive Engineer, Dharwar Irrigation Division,
the Executive Engineer, Belgaum Division,
the Executive Engineer, Bijapur Division,

for information.

VA/7/11/50.

Issued

3
File (1)
19

To AB(III) with enq
14/XI/50 Retained thanks.
LEB
Let III/SD

Enquiry file
14/11

-75-

No. G-55 Office of the Superintending Engineer,
Karnatak Irrigation Circle,
Dharwar, 22nd Decr. 1950.

To

The Secretary to Government,
Public Works Department,
B o m b a y -1.

Subject: Retrenchment.

5·71

Reference: Government (P.W.D.) letter No.2499/48-(7)-E(II), dated the 7th November 1950.

2. The officer on Special Duty (Retrenchment) had proposed that the posts of Senior Accounts Clerk in the 'A' Sub-Division & Mechanical Sub-Division under the control of the Ghataprabha Left Bank Canal Division should be down-graded to that of Senior Clerk's posts in the grade of Rs.92-8-140 vide his letter No. (Conf.) 7983/33-R-2, dated the 23rd September 1950. This proposal was accepted with some loss of efficiency vide this office letter No.(Conf) G-55, dated the 7th October 1950. But a remark to the effect that "the post of a Senior Accounts Clerk in the grade of Rs.100-8-140-10-150 to be down-graded to a Senior Clerk's post in the grade of Rs.92-8-140" remained to be recorded against these posts of Senior Accounts Clerk in the 'A' Sub-Division and Mechanical Sub-Division shown in the statement accompanying this office letter quoted above. This omission has resulted in the two posts of Senior Accounts Clerks being retrenched without corresponding increase in the strength of Senior Clerks.

3. It is, therefore, requested that Government may kindly be moved to issue the clarification note ~~early~~ at an early date to the effect that 1 post of Senior Accounts Clerk (Rs.100-8-140-10-150) should be downgraded to that of a Senior Clerk's post (92-8-140) against "A" & "Mechanical Sub-Division", as is done in the case of the same post in the Circle office.

D.A: nil.

Superintending Engineer, K.I.C.

Copy forwarded with compliments to the Chief Engineer to the Government of Bombay, Public Works Department, Bombay-1.

BR/21-12.

For display.
Ref. see p. 33 NS

E(II) 29/12
Dng 26/12

P. W.
Diary No. 2499/48(7)
105992
E. B II
28-12-

77 2499/48(7)/

Letter

-I-

No. 2499/48(7)/E(II).

P.W.I. Deptt.

B.C.C (B'bay No. 1),

19th Jan. 195

To

The S.E., N.I.C.

Subject:- Retrenchment

Refce:- Correspondence resting with your letter No. G.55, dt. the 22.12.50.

2. In partial modification of the orders issued in G.L. No. 2499/48(7)-E(II), dt. the 7th Novr. 1950, Govt. is pleased to direct.

(Rs. 100-8-140-10-150)

direct that the post of S.A.C. in each of the 'A' Sub-Dn. and the Mech'l. Sub-Dn., Ghatprabha Left Bank Canal Dn., should be down-graded into that of a Jr. Clerk's post (Rs. 92-8-140).

S.A. Nil

3. Information called for in P. 71 should be furnished early.

G.L.No.2499/48(7)-E(II), dt. the 7.11.50,

By Order etc.,

A.S. to the G. of B.
P.W.D.

Copy forwarded to:-

The F.D. (in duplicate),
The A.G., B'lore (thro: the F.D.),
The Ex. Engr., Ghatprabha Left Bank Canal Dn.,

for information.

Smn
18/1/51

7.11.50 (A.S.)
1911

Letter.

No.2499/48(7)-I-E(II). Public Works Department,
Bombay Castle (Bombay No.1),
19th January 1951.

To

The Superintending Engineer,
Karnatak Irrigation Circle.

Subject:- Retrenchment.

Reference: Correspondence resting with your letter No.G.55, dated the 22nd December 1950.

2. In partial modification of the orders issued in Government Letter No.2499/48(7)-E(II), dated the 7th November 1950, Government is pleased to direct that the post of Senior Accounts Clerk (Rs.100-8-140-10-150) in each of the 'A' Sub-Division and the Mechanical Sub-Division, Ghataprabha Left Bank Canal Division, should be down-graded into that of a Senior Clerk's post (Rs.92-8-140).

3. Information called for in Government Letter No.2499/48(7)-E(II), dated the 7th November 1950, should be furnished early.

Orders issued after consultation with Finance Department.
Notes remain with this Department and can bee seen when required.

By order of the Governor of Bombay,

21/1/51

Assistant Secretary to the Government of Bombay,
Public Works Department.

D.A.-Nil.

Copy forwarded to :-

the Finance Department (in duplicate),
the Accountant General, Bombay
(through the Finance Department),
the Executive Engineer, Ghataprabha
Left Bank Canal Division,

for information.

ISSUED 25/1/51

12.
RKP
19-1-51.
19/1/51

Statement A

Statement showing number of posts retrenched in Karnatak Irrigation Circle

S.No.	Name of the Administrative Department Name of the Head of the Department	Name of the office	Designation of the post	Pay scale of the post	No. of posts retrenched	Remarks
1	2	3	4	5	6	7
1.	Public Works Department Superintending Engineer, Karnatak Irrigation Circle, Dharwar.	Circle Office	i. Deputy Engr.	220-15-400-EB-20-500-EB-25-650	1	
			ii. Senior Accounts Clerk	100-8-140-10-150	1*	*Downgraded to that of a Senior Clerk's post (92-8-140)
			iii. Peon	30-1/2-35	1	
				Total for Circle office,	3	
2.		(a) Office of the Executive Engineer, Irrigation Projects Dn. (South), Dharwar	i. Deputy Engr.	220-15-400-EB-20-500-EB-25-650	1	
			ii. Senior Clerk	92-8-140	1	
			iii. Junior "	46-3-85-EB-4-105	3	
			iv. Draftsman	110-10-180	1	
					6	
		(b) Office of the Deputy Engineer, Ghataprabha Right Bank Canal Sub-Dn Belgaum	i. Overseer	80-5-100-8-140-EB-10-220-EB-10-270	1	
			ii. Sub-overseer	70-3-85-EB-4-105-EB-5-145	1	
			iii. Peon	30-1/2-35	1	
					3	

(c) Office of the Deputy Engineer, R.I.P.Sub-Dn.Dharwar	i.	Overseer	80 to 270	1
	ii.	Computor	46-3-85-EB-4-105	1
	iii.	Peon	30-1/2-35	2
				4
(d) Office of the Deputy Engineer, Soil Research Sub-Dn., Dharwar	i.	Surveyor	80 to 270	1
	ii.	Tracer)	46-3-85-EB-4-105	1
	iii.	Computor)		2
	iv.	Junior Clerk	-do-	1
	v.	Peon	30-1/2-35	1
				6
(e) Office of the Deputy Engineer, River Gauging Sub-Dn.Belgaum.	i.	Deputy Engr.	220-15-400 etc.	1
	ii.	Senior clerk	92-8-140	1
	iii.	Junior clerk)		2
	iv.	Tracer)	46-3-85-EB-4-105	1
	v.	Computor)		1
	vi.	Peon and Khalashi	30-1/2-35	5
				11
		Total for Irrigation Projects Dn(South) →		30
(a) Office of the Executive Engineer, Ghataprabha Left Bank Canal Division Ghataprabha.	i.	Overseer	80- to 270	1
	ii.	Junior Clerk	46-3-85-EB-4-105	1
	iii.	Peon	30-1/2-35	1
				3
(b) Office of the Deputy Engineer "A" Sub-Division, Ghataprabha.	i.	Senior Accounts Clerk	100-8-140-10-150	1* → Downgraded to that of Senior Clerk's post 92-8-140
	ii.	Tracer	46-3-85-EB-4-105	1
	iii.	Peon	30-1/2-35	1
				3

(c) Office of the Deputy Engineer "B" Sub-Division, Ghataprabha.	i. Tracer	46-3-85-EB-4-105	1	
	ii. Peon	30-1/2-35	1	
			2	
(d) Office of the Deputy Engineer "C" Sub-Division, Kankanwadi.	i. Tracer	46-3-85-EB-4-105	1	
	ii. Peon	30-1/2-35	1	
			2	
(e) office of the Deputy Engineer "D" Sub-Division, Chimad.	i. Overseer	80- to 270	1	
	ii. Sub-overseer	70-3-85-EB-4-105-EB-5-145	1	
	iii. Tracer	46-3-85-EB-4-105	1	
	iv. Peon	30-1/2-35	1	
			4	
(f) Office of the Deputy Engineer Mechanical Sub-Dn., Ghataprabha.	i. Senior Accounts clerk	100-8-140-10-150	1	→ Downgraded to that of Senior clerk's post (92-8-140)
			1	
(g) Office of the Deputy Engineer Distributary Surveys & Designs Sub-Dn. Ghataprabha	i. Computor	46-3-85-EB-4105	1	
	ii. Peon	30-1/2-35	1	
			2	
	Total for the Ghataprabha Left Bank Canal Division →		17	

(a) office of the Executive Engineer, Dharwar Irrigation Division,Dharwar.	i. Senior clerk	92-8-140	2
	ii. Junior clerk)	46-3-85-EB-4-105	3
	iii. Tracer)		1
	iv. Peon	30-1/2-35	1
			7
(b) Office of the Deputy Engineer Irrigation Project Sub-Dn.Dharwar	i. Junior Clerk	46-3-85-4-105	1
	ii. Peon & Khalashi	30-1/2-35	2
			3
(c) Office of the Deputy Engineer, Dharwar Irrigation Sub-Dn.Dharwar.	i. Tracer	46-3-85-EB-4-105	1
	ii. Karkoon	46-3-85	2
	iii. Maistry	30-2-50-EB-5/2-70	1
	iv. Peon	30-1/2-35	1
			5
(d)Office of the Deputy Engineer, Kalghatgi V.W.S. Sub-Dn,Kalghatgi	i. Karkoon	46-3-85	1
			1
(e)office of the Deputy Engineer Sirsi V.W.S.Sub-Dn. Sirsi.	i. Junior Clerk	46-3-85-4-105	1
			1
Total for Dharwar Irrigation Division,Dharwar →			17

A B S T R A C T

Circle office ---	3
Irrigation Projects Dn.(South),Dharwar	30
Ghataprabha Left Bank Canal Division,Ghataprabha	17
Dharwar Irrigation Division, Dharwar.	17
Total for the Karnatak Irrigation Circle.....	67

Superintending Engineer,K.I.C.

STATEMENT - "B".

(Showing staff at the Circle office.).

Gazetted staff. Deputy Engineers.	Class III Staff.										Class IV Staff.			
	Technical section.					Correspondence section.								
	Over-seers.	Head D'man.	Asstt. D'man.	Tra-cers	Compu-tors.	Head Clerk.	First clerk.	S.A.C.	Senior Clerks.	Junior Clerks.	Naik	Peons	Daftarband	Chowkidars.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	3	1	1	1	1	1	1	1	3	4Jr. clerks 2 typists in the grade of Rs. 70-3-85.E.B.-4-105--E.B.-4-125.	1 Havaldar.	6	1	1

Superintending Engineer,
Karnatak Irrigation Circle.

P'ki
24-2.

2 Ghataprabha Left Bank Canal Dn., Ghataprabha.	2	1	2	3	5	1	1	1	4	3	6	-	1	1	2	2	-	1	5	1	(In addition there are 1 Daftary for maintaining records 2 Khalasis for designs branch 2 Store mazdoors & 2 tapalis for carrying office tapal to camp & viceversa			
									(including two typists in the grade of Rs. 92-8-140)															
3 Dharwar Irrigation Division, Dharwar.	1	1	2	2	3	1	-	1	4	6	6	-	1	1	2	1	-	1	5	1	(In addition there is one Daftary for maintaining records and one store Mazdoor.			
									(including one typist in the grade of Rs. 70-3--85-E.B.-4-105-4-125)															

Superintending Engineer,
Karnatak Irrigation Circle,

P'ki
24-2.

S T A T E M E N T - "C".

Showing staff at the Divisional office.

Name of Division. / Headquarters.	Gazetted staff. Deputy Engineers.	Accounts Branch.						Correspondance Branch.			Drawing and Projects Branch.						Class IV staff.			
		Accountant.	Senior Accounts Clerk.	Senior clerks.	Junior clerks.	Store Keeper.	Asstt. Store Keeper.	Head clerks.	Senior clerks.	Junior Clerks.	Overseers.	Sub-Overseers.	Draftsman.	Assistant Draftsman.	Tracers.	Computors.	Havildars.	Naiks	Peons.	Chowkidars.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
1. Irrigation Projects Dn. (South), Dharwar.		1	1	1	2	-	-	1	3 including two typists in the grade of Rs. 70-3-85.E.B.-4-105--E.B.-4-125.	3	3	-	-	1	2	2	- (In addition there one Daftary for maintaining Records	1	5	1

"D"

Karnatak Irrigation Circle, Dharwar.

Statement showing strength of the Sub-Divisional offices in the Irrigation Projects Dn(South)

S.No.	Designation of posts	Ghataprabha Right Bank Canal Sub-Dn.	Reconnaissance Irrigation Pro -ject Sub-Dn.	Soil Research Sub-Division	Total
1.	Overseers	4	3	-	7
2.	Surveyors	-	-	3	3
3.	Sub-overseers	3	4	1	8
4.	Senior Clerks	1	1	1	3
5.	Junior Clerks	2	2	2	6
6.	Tracers	1	1	1	3
7.	Computors	1	-	-	1
8.	Peons —	4	4	5	13
9.	Auger-cum-Gauge Measurers	-	4	-	4
10.	-do- Gauge Karkuns	-	4	-	4
11.	Boring Mechanics	-	2	-	2
12.	Asstt.Boring Mechanics	-	2	-	2
13.	Graduate Laboratory Asstt	-	-	1	1
14.	Graduate Assistant	-	-	3	3
15.	Laboratory Assistant	-	-	1	1
16.	Auger Measurers	-	-	4	4
17.	Auger Mukadams	-	-	8	8
18.	Fieldmen	-	-	4	4

Superintending Engineer,K.I.C.

"E"

Karnatak Irrigation Circle, Dharwar

Statement showing the strength of the Sub-Divisional offices in the Ghataprabha Left Bank Canal Division, Ghataprabha.

S.No.	Designation of post	"A" Sub-Dn.	"B" Sub-Dn.	"C" Sub-Dn.	"D" Sub-Dn.	Distribution Survey and Designs Sub-Division	Mechanical Sub-Division	Total	Remarks
1.	Overseers	4	5	3	4	3	2	21	
2.	Sub-overseers	2	3	2	2	2	-	11	
3.	Senior Clerks	1	1	1	1	1	1	6	
4.	Junior Clerks	2	2	2	2	2	1	11	
5.	Tracers	-	-	-	-	1	1	2	
6.	Computors	1	1	1	1	-	-	4	
7.	Peons	3	3	3	3	3	3	18	
8.	Chowkidars -	1	1	2 ⊗	1	1	1	7	⊗ This includes one post of a chowkidar for the Todhalli Inspection Bungalow.
9.	Store-keepers	-	-	-	-	-	1	1	

Superintending Engineer, K.I.C.

"F"

Karnatak Irrigation Circle, Dharwar.

Statement showing the strength of the Sub-Divisional Offices in the Dharwar Irrigation Dn.

S.No.	Designation of post	Dharwar Irrigation Project Sub-Dn.	Dharwar Irrigation Sub-Dn.	Haliyal Irrigation Sub-Dn.	Sirsi Irrigation Sub-Dn.	Kalaghatgi Irrigation Sub-Dn.	Hangal Irrign Sub-Dn.	Havasbhavi Irrigation Sub-Dn.	Total
1.	Overseers	3	3	3	8	5	3	2	27
2.	Surveyors	10	-	-	-	-	-	-	10
3.	Sub-overseers	-	-	-	3	-	-	-	3
4.	Tracers	1	-	-	-	-	-	-	1
5.	Computors	1	-	-	-	-	-	-	1
6.	Senior Clerks	1	1	1	1	1	1	1	7
7.	Junior Clerks	1	2	2	3	3	2	2	15
8.	Peons	2	2	3	3	3	3	3	19
9.	Chowkidars	-	-	-	-	-	4	2	6*
10.	Khalashis	2	3	3	4	5	3	2	22
11.	Maistries	-	2	1	4	5	2	2	16
12.	Gauge Karkuns	-	-	-	-	-	8	3	11
13.	Karkuns	-	4	3	11	9	-	9	36
14.	Tracer karkun	-	-	-	-	3	-	-	3
15.	Patkari	-	-	-	-	-	-	5	5

* these six are Bungalow chowkidars.

Superintending Engineer, K.I.C.

Letter

No.G-55.

Office of the Superintending Engineer,
Karnatak Irrigation Circle,
Dharwar, 16 th March 1951.

To

The Chief Engineer to Government,
Public Works Department,
Bombay.

Subject:- Retrenchment.

Reference: Government letter P.W.D. No.2499/48(7)-I-E(II), dated the 19th January 1951.

2. Statement "A" showing the details of the 67 posts retrenched in this Circle is submitted herewith as required by para 3 of the Government letter P.W.D. No.2499/48(7)-E(II), dated the 7th November 1950.

3. One post of overseer in the River Gauging Sub-Division transferred to the Dharwar Irrigation Division, is attached to the Divisional Office.

4. Statements "B", "C", "D", "E" and "F" indicating the net strength after retrenchment are submitted herewith in duplicate as required by para 6 of the Government Letter P.W.D.No.2499/48(7)-E(II), dated the 7th November 1950. Statements "B" and "C" give the strength in the Circle and three Divisional offices viz., Irrigation Projects Dn(South), Ghataprabha Left Bank Canal Division and Dharwar Irrigation Division, respectively,whereas the statements "D", "E" and "F" furnish the information in respect of the sub-Divisional offices in the three Divisions.

5. There are 3 Inspection Bungalows in charge of Hangal Irrigation Sub-Division and 2 in charge of Havasbhavi Irrigation Sub-Division. So the services of four chowkidars - three for the bungalows and one for the Sub-Divisional office at Hangal are essentially required for the Hangal Irrigation Sub-Division and two for the Havasbhavi Irrigation Sub-Division.

6. A statement showing the savings likely to be realised during the current financial year is being submitted separately as required by para 5 of the letter referred to in para 2 above.

Accompts:-
As above.

2

Superintending Engineer,K.I.C.

Copy together with a copy of the statement "A" forwarded with compliments to the Accountant General, Bombay for information with reference to para 3 of the Government letter P.W.D.No.2499/48-(7)-E(II), dated 7-11-1950.

RNG.

2499/48(7)

24263

EB(II)

P.W.D.

Await

SMD
7.4.57.

Supdt.

9.4.57.

O.
9/4

F Br

The SE., KZE., expedited
under No. 2499/48(7)-F, dt.
the 20th July 1957

SMD
19/7/57.

20-7-57

20/7/57

Supdt.

P. W. D.
File No. 2499/48(7)
Serial No. 24263

F Br 21

1	Maistry (@ 55 plus 45)	55-3-85-E.B.-4-105	220	180	400
15	peons & Khalashis (at Rs.30 plus 35)	30-1/2-35	1800	2100	3900
		Total for 50 Civil Works	12,992	8,600	21,592

2:- 18- Other Revenue Expenditure.

1	Deputy Engineer:	220-15-400-E.B.-500-E.B.-25-650.	940	240	1180
1	Senior Clerk.	92-8-140	368	180	548
2	Junior Clerks.	46-3-85-E.B.-4-105	244) 385)	180) 315)	424) 700)
3	peons	30-1/2-35	360	420	780
1	Tracer	46-3-85-E.B.-4-105	184	140	324
1	Computor	-do-	184	140	324
2	Khalashis	30-1/2-35	240	280	520
			2,905	1,895	4,800

Abstract.

50- C.W.Ordinary ... Rs. 21,592/-
18-Other Rev.Exp. ... Rs. 4,800/-
Rs. 26,392/-

Superintending Engineer, K.I.C.

BR/8-8.

Statement showing the amounts of savings on Establishment for the year 1950-51 due to Retrenchment in the Karnatak Irrigation Circle, vide Government Letter, P.W.D. No.2499/48(7)-E(II) dated 7-11-1950. Budget Head: 60 Civil Works Ordinary.

---o---

No.of posts retrenched with effect from 1-11-50.		Scale of pay of posts.	Actual amounts saved during 1950-51.			Remarks.
			Pay	D.A.	Total	
			Rs.	Rs.	Rs.	
2	Deputy Engineers (at Rs.220/-p.m.plus 60/-)	200-15-400-E.B.20-500-E.B.-25-650.	1760	480	2240	
3	S.A.Clerks (downgraded) (at Rs.8/- diff.)	100-8-140-10-150	96	-	96	
3	Senior Clerks (@ Rs.92/- plus 45)	~~46x3=85xExBx=4=105x~~ 92-8-140	1104	540	1644	
10	Junior Clerks (@ Rs.55 plus 45)	46-3-85-E.B.-4-105.	2200	1800	4000	
4	Overseers(@ Rs.116 plus ~~45~~ 50)	80-5-100-8-140-E.B.-10-220-E.B.-10-270	1856	800	2656	
1	Surveyor (@ 95 plus 45)	-do- -do-	380	180	560	
2	Suboverseers(@ 70 plus 45)	70-3-85-E.B.-4-105-E.B.-5-145.	560	360	920	
1	Draftsman (Rs.110 plus 50)	110-10-180	440	200	640	
7	Tracers(@ 46 plus 35)	46-3-85-E.B.-4-105	1288	980	2268	
4	Computors(@ Rs.46 plus 35)	-do- -do-	736	560	1296	
3	Karkoons (@ 46 plus 35)	46-3-85	552	420	972	

151

Letter
No. G-55

Office of the Superintending Engineer
Karnatak Irrigation Circle,
Dharwar, 10-8- 1951.

To

The Chief Engineer to the Government of Bombay,
Public Works Department,
Bombay-1.

Subject:- Retrenchment.

Reference: This office No. G-55 dated 16-3-1951 and Government (P.I.D.) Memorandum No. 2499(48(7)-F, dated 20-7-51.

2. The statement showing the amounts of savings on Establishment for the year 1950-51 under the heads "50-Civil Works Ordinary" and "18-Other Revenue Expenditure", due to the retrenchment in the Karnatak Irrigation Circle is submitted herewith.

P.A: 1 Statement.

Superintending Engineer, K.I.C.

RR/8-8.

۱۱۲۶

F 1318

Sto 11

2Jt 9.9/H8(Ty)

Tp 493

F

13 - 8 - 57